Q.P. Code:17200

Time: 2 Hours Marks: 60

- 1. Question number 1 is compulsory
- 2. Attempt any three from remaining
- 3. Use suitable data wherever required
- 4. Figures to right indicate full marks.

Q.1) Solve any five from following

15

- 1. Draw the following with reference to a cubic unit cell: $(1\overline{0}\overline{2})$, [211], [1 $\overline{1}$ 1]
- 2. Define space lattice Basis & coordination number
- 3. Define Fermi energy level. Explain Fermi Dirac distribution function.
- 4. Write Sabine's formula explaining each term. Explain how this formula can be used for the determination of absorption coefficient of a given material.
- 5. Calculate the electronic polarizability of Ar. Given number of Ar atoms at NTP = 2.7 x $10^{25}/\text{m}^3$ and dielectric constant of Ar = 1.0024.
- 6. Explain the statement "crystal act as three dimensional grating with x-rays".
- 7. In a magnetic material the field strength is found to be 10^6 A/m. If the magnetic susceptibility of the material is 0.5×10^{-5} . Calculate intensity of magnetization and flux density in the material.
- Q.2) (a) With a neat labelled diagram explain the principle, construction and workingof a piezoelectric oscillator.
- (b) Molecular weight of silver bromide is 187.77. Its density is 6.473 gm/cm³. It has NaCl type structure. Calculate the distance between adjacent atoms.

Avogadro's No. = 6.023×10^{23} / gm. mole.

7

Q.3) (a). Draw the unit cell of HCP. Derive the number of atoms/unit cell, the c/a ratio and the packing fraction.

Estimate the number of Frenkel defects per mm³ in AgCl if energy of formation of Frenkel defects is 1.5 eV at 700⁰K. The molecular weight of AgCl is 0.143 kg/mol and specific density is 5.56.

(b) Explain Hall effect & its significance. With a neat diagram derive the expression for the Hall voltage & Hall coefficient.

Q.P. Code:17200

Q.4) (a) For an intrinsic semiconductor show that the Fermi level lies in the centre of t	the
forbidden energy gap	200
(b) Two ships are anchored at certain distance between them. An ultrasonic signal of 50 KI	Hz
is sent from one ship to another via 2 routes. First through water and second throu	ıgh
atmosphere. The difference between the time intervals for receiving the signals at the other	ner
ship is 2 seconds. If the velocity of sound in atmosphere and seawater are 348 m/s and 13	192
m/s respectively, find the distance between the Ships. Also find the time taken by the signal	to
travel through water. 5	
(C) Explain the determination of the crystal structure using Braggs spectrometer. 5	
Q. 5) (a) Explain in brief the different phases of liquid crystals.	,
(b) Two parallel plate capacitors having equal and opposite charges are separated by a dielect	ric
slab of thickness 2 cm. If the electric field inside is $10^6\mathrm{V}$ and dielectric constant is 3, calculated as $10^6\mathrm{V}$ and $10^6\mathrm{V}$ a	ate
the polarization and displacement density.	1
(c) Calculate the critical radius ratio of an ionic crystal for ligancy 6.	
Q.6) (a). The volume of a room is 600 m ³ , the wall area, floor area and ceiling an	rea
respectively are 220 m ² , 120 m ² and 120 m ² . The average sound absorption coefficient for t	the
walls, floor and ceiling are 0.03, 0.06 and 0.8 respectively. Find the average sound absorpti	ion
coefficient and the reverberation time. 5	
(b) Explain principle construction & working of a LED. 5	
(c) Prove that in a ferromagnetic material, power loss per unit volume in a hysteresis cycle	is
equal to the area under hysteresis loop.	
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
MANAGE AND A CONTRACT OF THE C	