Sample Question Bank

Class : FYCS Subject : DBMS

		ibject i DDIVIS				
Sr.NO.	Question	А	В	С	D	Answer
1	A record in a table also refered to as a	Column	Tuple	Field	Data	Tuple
	The for a binary relationship specifies the maximum number of instances an entity can participate in.	Database	Cardinality Ratio	Attribute	Entity	Cardinality Ratio
	number of instances are entity can participate in.	Database	Natio	Attribute	Littley	Nacio
3	In the database architecture, external level is	Physical	Logical	View	File	View
	Storing the same data multiple times leads to several problems. This is known as	Waste	Redundancy	Query	File	Redundancy
5	is a top_down approach.	Specialization	Database	Aggregation	Generalizatio n	Specialization
6	How is the discriminator of a weak entity set specified?	Using a solid line	Using a dashed line	Using a double line	Labelling it	Using a dashed line
	A vertical set of values in a table is refered as a	Field	Record	File	Data	Field
8	An represents some property which describes the entity.	Data	File	Entity	Attribute	Attribute
9	The structure of a table can be modified by using command.	DELETE TABLE	ALTER TABLE	CREATE TABLE	DROP TABLE	ALTER TABLE
10	claues is used with aggregate functions to retrieve data categorywise.	Having	Group by	Order by	Where	Group by
11	clause arranges records selected in certain order.	with order	in order	order by	keep order	order by
12	A functional dependency is a relationship between or among	entities	rows	attributes	tables	attributes
13	consists of atomic values, no repeating group.	3 NF	2 NF	1 NF	4 NF	1 NF

	Which of the following is used to denote the selection operation in					
14	relational algebra?	Pi	Sigma	Lambda	Omega	Sigma
		a Binary	a Unary	a Ternary		a Binary
15	Cartesian product in Relational Algebra is	operator	operator	operator	Not defined	operator
16	In where clause is used for pattern matching.	Limit	Between	In	Like	Like
17	Which operatoration is used to select columns from a relation?	SELECTION	PROJECTION	JOIN	UNION	PROJECTION
1/	clause is act as a filter for unwanted data	SELECTION	PROJECTION	JOIN	UNION	PROJECTION
18		SELECT	FROM	WHERE	ORDER BY	WHERE
	function calculates the number of days between two DATE					
	values.	DATEDIFFERE				
19		NCE	DIFFDATE	DATEDIFF	DATE	DATEDIFF
	return all rows from the left table and matching					
	rows from the right table or null if no matching rows found in the					
20	right table.	LEFT JOIN	RIGHT JOIN	CROSS JOIN	OUTER JOIN	LEFT JOIN
	return all rows from the right table and matching rows					
	from the left table or null if no matching rows found in the left					
21	table.	LEFT JOIN	RIGHT JOIN	CROSS JOIN	OUTER JOIN	RIGHT JOIN
	subquery cannot be executed by itself as a separate	6.0				
	statement.	Councieted	l luga una lata d	Cuiete	Non Eviete	Campleted
22		Correlated	Uncorrelated	EXISTS	Non Exists	Correlated
23	function Search and replace a substring in a strings	LTRIM	REPLACE	PLACE	RTRIM	REPLACE
	function returns the absolute value of a number.					
24		ABSOLUTE	ABS	ABS VAL	MOD	ABS
		query within a	'	query outside	l	query within a
25	Subquery is	query	query	a query	half query	query