

**SEMIV Examinations May 2022**

Curriculum Scheme: Rev-2019 'C' Scheme

Course Code: **EEC401**

Course Name: **Engineering Mathematics IV**

Time: 3 hour

Max. Marks: 80

Note: Q1, Q2, Q3 and Q4 are carrying 20 equal marks.

<b>Q1.</b>	<b>Choose the correct option for following questions. All the Questions are compulsory and carry equal marks</b>
	<b>2 marks each</b>
1.	If $x$ is normally distributed with mean 10 and standard deviation 2, find $p(8 \leq x \leq 10)$
Option A:	0.1113
Option B:	0.3413
Option C:	0.0413
Option D:	0.1013
2.	Find extremals of $\int_{x_1}^{x^2} (y'^2 - y^2 + 2xy) dx$
Option A:	$c_1 \cos x + c_2 \sin x + x$
Option B:	$c_1 x \cos x + c_2 x \sin x$
Option C:	$c_1 \cos x + c_2 \sin x + x^2$
Option D:	$c_1 \cos hx + c_2 \sin hx + x$
3.	Find value of $k$ if $U = (2, 1, 3)$ and $V = (4, 7, k)$ are orthogonal.
Option A:	$K = -4$
Option B:	$K = 4$
Option C:	$K = 5$
Option D:	$K = -5$
4.	Evaluate $\int_C \frac{2x+3}{(x+2)(x-3)} dx$ Where C is circle $ z  = 3$ .
Option A:	$\frac{3\pi i}{5}$
Option B:	$\frac{-3\pi i}{5}$
Option C:	$\frac{2\pi i}{5}$
Option D:	$\frac{-2\pi i}{5}$
5.	The equations of the two lines of regression are $5x - y = 22$ and $64x - 45y = 24$ . Find means for $x$ and $y$ .
Option A:	$x = 6, y = 8$
Option B:	$x = 3, y = 8$
Option C:	$x = 4, y = 8$
Option D:	$x = 6, y = 5$
6.	Given $f(z) = \frac{1}{2(z+1)} - \frac{1}{2(z+3)}$ for $1 <  z  < 3$ , the expansion of $f(z)$ is

Option A:	$f(z) = \dots + \frac{1}{2z^3} - \frac{1}{2z^2} + \frac{1}{2z} - \frac{1}{6} + \frac{1}{18}z - \frac{1}{54}z^2 + \frac{1}{162}z^3 + \dots$
Option B:	$f(z) = \dots + \frac{1}{z^3} - \frac{1}{z^2} + \frac{1}{2z} + \frac{1}{6} - \frac{1}{18}z + \frac{1}{54}z^2 - \frac{1}{162}z^3 + \dots$
Option C:	$f(z) = \dots + \frac{1}{2z^3} + \frac{1}{2z^2} + \frac{1}{2z} + \frac{1}{6} + \frac{1}{18}z + \frac{1}{54}z^2 - \frac{1}{162}z^3 + \dots$
Option D:	$f(z) = \dots + \frac{1}{2z^3} - \frac{1}{2z^2} - \frac{1}{18}z + \frac{1}{54}z^2 - \frac{1}{162}z^3 + \dots$
7.	Find cosine of angle between the vectors $U = (1, 2, 3, -1)$ and $V = (2, 1, -2, 3)$
Option A:	$\frac{5}{\sqrt{270}}$
Option B:	$\frac{-4}{\sqrt{270}}$
Option C:	$\frac{-3}{\sqrt{270}}$
Option D:	$\frac{-5}{\sqrt{270}}$
8.	Given $N = 5, \sum d_i^2 = 8$ . Find the rank correlation coefficient R.
Option A:	$R = 0.6$
Option B:	$R = 0.5$
Option C:	$R = 0.4$
Option D:	$R = 0.3$
9.	Find Variance of Binomial distribution with $n = 8, p = \frac{1}{4}$
Option A:	1.1
Option B:	1.5
Option C:	1.2
Option D:	1.3
10.	Find the extremal of $\int_{x_1}^{x_2} \frac{y'}{x^3} dx$
Option A:	$cx^2 = 1$
Option B:	$cx^3 = 1$
Option C:	$cx^3 = 2$
Option D:	$cx^3 = -2$

<b>Q2.</b> <b>(20 Marks)</b>	<b>Solve any Four out of Six.5 marks each</b>
A	Reduce the quadratic form $Q = 2x_1^2 + x_2^2 - 3x_3^2 - 8x_2x_3 - 4x_3x_1 + 12x_1x_2$ to normal form through linear transformation. Also find rank, index, signature and class value.
B	Construct orthonormal basis of $\mathbb{R}^2$ by applying Gram-Schmidt process. Where $S = \{(3, 1), (4, 2)\}$ .
C	Evaluate $\int_C \frac{dz}{(z^2-4)(z+4)}$ Where C is circle $ z  = 4$ using Cauchy's Residue theorem
D	For normal distribution 30 % items are below 45 and 8 % items are above 64. Find mean and Standard deviation
E	Find extremals of $\int_{x_1}^{x^2} (y'^2 - y^2 + 2xy) dx$
F	The equation of two lines of regression for bivariate data are $9x+10y-67=0$ $5x+2y-23=0$ Find i) Means values for x&y ii) Regression coefficients iii) Correlation coefficient

<b>Q3.</b> <b>(20 Marks)</b>	<b>Solve any Four out of Six.5 marks each</b>																
A	Find extremals of $\int_0^1 (xy + y^2 - 2y^2y') dx$																
B	If $P(X=x) = \frac{x}{25}$ , $x=1,3,5,7,9$ Find $P(X=1 \text{ or } X=3)$ and $P(4 < X < 8)$																
C	Examine the following vectors are linearly independent if so find relation between them $(1,2,3,4), (0,1,0,-1), (1,3,3,3)$																
D	Find the residues at their poles for $f(z) = \frac{z}{(z+3)(z-1)^2}$																
E	Find angle between the vectors $U = (6, 2, 4)$ and $V = (2, 0, -3)$																
F	Calculate the coefficient of correlation between x&y from the data																
	<table border="1"> <tr> <td>x</td><td>51</td><td>54</td><td>56</td><td>59</td><td>65</td><td>60</td><td>70</td> </tr> <tr> <td>y</td><td>38</td><td>44</td><td>33</td><td>36</td><td>33</td><td>23</td><td>13</td> </tr> </table>	x	51	54	56	59	65	60	70	y	38	44	33	36	33	23	13
x	51	54	56	59	65	60	70										
y	38	44	33	36	33	23	13										

<b>Q4.</b> <b>(20 Marks)</b>	<b>Solve any Four out of Six.5 marks each</b>																		
A	Calculate rank correlation coefficient between marks of Test1 and Test 2																		
	<table border="1"> <tr> <td>Test1</td><td>52</td><td>63</td><td>45</td><td>36</td><td>72</td><td>65</td><td>45</td><td>25</td> </tr> <tr> <td>Test2</td><td>52</td><td>53</td><td>51</td><td>25</td><td>79</td><td>43</td><td>60</td><td>33</td> </tr> </table>	Test1	52	63	45	36	72	65	45	25	Test2	52	53	51	25	79	43	60	33
Test1	52	63	45	36	72	65	45	25											
Test2	52	53	51	25	79	43	60	33											
B	Evaluate $\int z^2 dz$ along the upper half of circle $ z  = 2$																		
C	Obtain the Laurent series for $f(z) = \frac{z}{(z-1)(z+3)}$ in $1 <  z  < 3$																		
D	Reduce the quadratic form $Q = -3x_1^2 + 3x_2^2 + 3x_3^2 - 2x_2x_3 + 2x_3x_1 + 2x_1x_2$ to normal form through linear transformation. Also find rank, index, signature and class value.																		
E	By Gram-Schmidt process, find orthogonal basis for $u_1 = (1, 1, 1)$ , $u_2 = (-1, 1, 0)$ , $u_3 = (1, 2, 1)$																		
F	Find extremals of $\int_0^\pi (y'^2 - y^2) dx$																		