 N.B.: (1) Questions No.1 is compulsory. (2) Solve any three questions out of remaining (3) Draw neat labeled diagram whenever necessary (4) Assume suitable data if necessary (5) Solve any four questions (4) Assume suitable data if necessary (5) Solve any four properties of fuzzy sets. b. With necessary equations, list the different types of activation functions used in Neural networks (5) Solve (4) Sol		(3 Hours) Total Marks: 80	P. P.
 (2) Solve any three questions out of remaining (3) Draw neat labeled diagram whenever necessary (4) Assume suitable data if necessary (2) Answer any four questions a. Write any four properties of fuzzy sets. b. With necessary equations, list the different types of activation functions used in Neural networks c. What do you mean by K means algorithm? Where is it used? d. If A and B are two fuzzy sets with membership functions: μ_a(χ) ={1, 0.2, 0.2, 0.7} and μ_b (χ)={0.2, 0.6, 0.4, 0.5}, find the union and intersection between two fuzzy sets. c. What is the use of pooling and padding in CNN architectures? O5 Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [10 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by (0,2 0.9) (0,4 0.7) (0,4 0.7) (0,6 0.5) (0.8 0.3) b. Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning Q4.a. Construct a discrete Hopfield network to store the patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is defuzzification? Explain any two methods of defuzzification. 10 Design a fuzzy controller to decide the wash time of a washing machine. 10 Q6.a. What is defuzzification? Explain any two methods of defuzzification. 10 Design a fuzzy controller to decide the wash time of a washing machine. O5 D6 O5 D6 D7 D7 D7 D7 D7 D7 D7 D7 D7	ΝD	: (1) Questions No 1 is compulsory	
(3) Draw neat labeled diagram whenever necessary (4) Assume suitable data if necessary (2) Answer any four questions a. Write any four properties of fuzzy sets. b. With necessary equations, list the different types of activation functions used in Neural networks c. What do you mean by K means algorithm? Where is it used? d. If Λ and B are two fuzzy sets with membership functions: μa(χ) = {1,02,02,0.7} and μb (χ) = {0.2,0.6,0.4,0.5}, find the union and intersection between two fuzzy sets. e. What is the use of pooling and padding in CNN architectures? O5 Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0,5. The weight matrix is given by	N.D.		
 (4) Assume suitable data if necessary Q1 Answer any four questions a. Write any four properties of fuzzy sets. b. With necessary equations, list the different types of activation functions used in Neural networks c. What do you mean by K means algorithm? Where is it used? d. If A and B are two fuzzy sets with membership functions: μa(χ) ={1, 0.2, 0.2, 0.7} and μb (χ) = {0.2, 0.6, 0.4, 0.5}, find the union and intersection between two fuzzy sets. e. What is the use of pooling and padding in CNN architectures? Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning. Q4.a. Construct a discrete Hopfield network to store the patterns [1 1 1 1 1], [1 -1 -1 1 -1], [1 -1 -1 -1]. Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine. 10 			
 Q1 Answer any four questions a. Write any four properties of fuzzy sets. b. With necessary equations, list the different types of activation functions used in Neural networks c. What do you mean by K means algorithm? Where is it used? d. If A and B are two fuzzy sets with membership functions: μ_a(χ) ={1, 0.2, 0.2, 0.7} and μ_b (χ)= {0.2, 0.6, 0.4, 0.5}, find the union and intersection between two fuzzy sets. e. What is the use of pooling and padding in CNN architectures? Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by b. Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning Q4.a. Construct a discrete Hopfield network to store the patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine. 10 			5
 a. Write any four properties of fuzzy sets. b. With necessary equations, list the different types of activation functions used in Neural networks c. What do you mean by K means algorithm? Where is it used? d. If A and B are two fuzzy sets with membership functions: μ_a(χ) ={1, 0.2, 0.2, 0.7} and μ_b (χ) ={0.2, 0.6, 0.4, 0.5}, find the union and intersection between two fuzzy sets. e. What is the use of pooling and padding in CNN architectures? 05 Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by b. Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning Q4.a. Construct a discrete Hopfield network to store the patterns [1 1 1 1 1], [1 -1 -1 1], Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is defuzzification? Explain any two methods of defuzzification. 10 Design a fuzzy controller to decide the wash time of a washing machine. 		(+) Assume suitable data if necessary	
 b. With necessary equations, list the different types of activation functions used in Neural networks c. What do you mean by K means algorithm? Where is it used? d. If A and B are two fuzzy sets with membership functions: μ_ω(χ) ={1, 0.2, 0.2, 0.7} and μ_ω(χ)= {0.2, 0.6, 0.4, 0.5}, find the union and intersection between two fuzzy sets. e. What is the use of pooling and padding in CNN architectures? O5 Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by w₀ =	Q1	Answer any four questions	
 c. What do you mean by K means algorithm? Where is it used? d. If A and B are two fuzzy sets with membership functions: μ_a(χ) = {1, 0.2, 0.2, 0.7} and μ_b (χ)= {0.2, 0.6, 0.4, 0.5}, find the union and intersection between two fuzzy sets. e. What is the use of pooling and padding in CNN architectures? Oz.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. I0 Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by v_u =	a.		
 d. If A and B are two fuzzy sets with membership functions: μ_a(χ) ={1, 0.2, 0.2, 0.7} and μ_b (χ)= {0.2, 0.6, 0.4, 0.5}, find the union and intersection between two fuzzy sets. e. What is the use of pooling and padding in CNN architectures? 05 Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by w_{ug} =	b.	With necessary equations, list the different types of activation functions used in Neural networks	05
 μ_b (χ)= {0.2, 0.6, 0.4, 0.5}, find the union and intersection between two fuzzy sets. e. What is the use of pooling and padding in CNN architectures? Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by w_{ij} = 0.2 0.9 / 0.4 0.7 / 0.6 0.5 / 0.8 0.3 b. Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning Q4.a. Construct a discrete Hopfield network to store the patterns [1 1 1 1 1 1], [1 -1 -1 1 -1], [1 -1 -1 -1], Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine. 	c.	What do you mean by K means algorithm? Where is it used?	05
 Q2.a. Develop perceptron network to implement two input AND function. Consider inputs and the outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by b. Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning Q4.a. Construct a discrete Hopfield network to store the patterns [1 1 1 1 1 1], [1 -1 -1 1 -1], [-1 1 -1 -1]. Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine. 	d.		05
outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate equal to 1. b. Discuss linearly separable and linearly non-separable classification functions each with a graph. 10 Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by $w_{ij} = \begin{bmatrix} 0.2 & 0.9 \\ 0.4 & 0.7 \\ 0.6 & 0.5 \\ 0.8 & 0.3 \end{bmatrix}$ b. Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning Q4.a. Construct a discrete Hopfield network to store the patterns [1 1 1 1 1 1], [1 -1 -1 1 -1], [1 -1 -1 -1]. Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is defuzzification? Explain any two methods of defuzzification. 10 Q6.a. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine.	e.	What is the use of pooling and padding in CNN architectures?	05
 Q3.a. Construct a Kohonen Self Organizing map to cluster given vectors [0 0 1 1], [1 0 0 0], [0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by b. Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning Q4.a. Construct a discrete Hopfield network to store the patterns [1 1 1 1 1], [1 -1 -1 1 -1], [-1 1 -1 -1]. Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is Support Vector Machine (SVM)? Analyze binary classifier using SVM. Q6.a. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine. 	Q2.a.	outputs as unipolar. Assume initial weights and bias value equal to zero. Consider learning rate	10
[0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by $ w_{ij} = \begin{bmatrix} 0.2 & 0.9 \\ 0.4 & 0.7 \\ 0.6 & 0.5 \\ 0.8 & 0.3 \end{bmatrix} $ b. Draw the architecture of simple Convolution neural network. Discuss the use of CNN in deep learning Q4.a. Construct a discrete Hopfield network to store the patterns [1 1 1 1 1], [1 -1 -1 1], [10 [-1 1 -1 -1 -1]. Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is Support Vector Machine (SVM)? Analyze binary classifier using SVM. Q6.a. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine.	b.		10
Q4.a. Construct a discrete Hopfield network to store the patterns [1 1 1 1 1], [1 -1 -1 1 -1], 10 [-1 1 -1 -1 -1]. Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is Support Vector Machine (SVM)? Analyze binary classifier using SVM. Q6.a. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine.	Q3.a.	[0 1 1 0] and [0 0 0 1]. The number of clusters to be formed is 2. Consider the learning rate as 0.5. The weight matrix is given by $w_{ij} = \begin{bmatrix} 0.2 & 0.9 \\ 0.4 & 0.7 \\ 0.6 & 0.5 \end{bmatrix}$	10
[-1 1 -1 -1]. Calculate the energy of the stored patterns. b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is Support Vector Machine (SVM)? Analyze binary classifier using SVM. Q6.a. What is defuzzification? Explain any two methods of defuzzification. Design a fuzzy controller to decide the wash time of a washing machine.	b.		10
 b. What are the various types of neural network architectures? With neat diagram, briefly discuss the architectures. Q5.a. With neat flow chart, describe the various steps used in the training process of error back propagation algorithm. b. What is Support Vector Machine (SVM)? Analyze binary classifier using SVM. Q6.a. What is defuzzification? Explain any two methods of defuzzification. b. Design a fuzzy controller to decide the wash time of a washing machine. 10 	Q4.a.		10
propagation algorithm. b. What is Support Vector Machine (SVM)? Analyze binary classifier using SVM. 10 Q6.a. What is defuzzification? Explain any two methods of defuzzification. 10 b. Design a fuzzy controller to decide the wash time of a washing machine. 10	b.	What are the various types of neural network architectures? With neat diagram, briefly discuss	10
 b. What is Support Vector Machine (SVM)? Analyze binary classifier using SVM. Q6.a. What is defuzzification? Explain any two methods of defuzzification. b. Design a fuzzy controller to decide the wash time of a washing machine. 10 	Q5.a.		10
b. Design a fuzzy controller to decide the wash time of a washing machine. 10	b.		10
b. Design a fuzzy controller to decide the wash time of a washing machine. 10	O6.a.	What is defuzzification? Explain any two methods of defuzzification.	10
	- ~		
	20.		10