

(3 hours)

Total marks:80

N.B.: (1) Question No. 1 is compulsory.
(2) Attempt any Three from remaining.

- Q1 a) If $\tanh x = 1/2$ then find value of x and $\sinh 2x$ [3]
 b) If $u = \log(x^2 + y^2)$ Find $\frac{\partial^2 u}{\partial x \partial y}$ [3]
 c) If $x = u - uv$, $y = uv - uvw$, $z = uvw$ find $\frac{\partial(x,y,z)}{\partial(u,v,w)}$ [3]
 d) Using Maclaurin's series, Prove $\log(1 + \sin x) = x - \frac{x^2}{2} + \frac{x^3}{6} + \dots$ [3]
 e) Check if the matrix $A = \frac{1}{\sqrt{3}} \begin{bmatrix} 1 & 1+i \\ 1-i & 1 \end{bmatrix}$ is unitary [4]
 f) Find n^{th} derivative of $\frac{2}{(x-1)(x-2)(x-3)}$ [4]
- Q2. a) Solve $x^5 = 1 + i$ and find the continued product of the roots. [6]
 b) Reduce the matrix $A = \begin{bmatrix} 3 & -2 & 2 \\ -1 & 1 & 3 \\ 1 & 2 & 1 \end{bmatrix}$ to the normal form and find its Rank [6]
 c) State and Prove Euler's theorem for two variables hence find value of $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y}$ where $u = \frac{xy}{x+y}$ [8]
- Q3 a) Investigate for what values of λ and μ the equations $x + y + z = 6$, $x + 2y + 3z = 10$ and $x + 2y + \lambda z = \mu$ have i) No solution ii) Unique solution iii) Infinite solutions [6]
 b) Examine the function for its extreme values $f(x,y) = y^2 + 4xy + 3x^2 + x^3$ [6]
 c) If $\tan(\alpha + i\beta) = \sin(x + iy)$ then Prove $\frac{\tan x}{\tanh y} = \frac{\sin 2\alpha}{\sinh 2\beta}$ [8]
- Q4 a) If $x = u \cos v$, $y = u \sin v$ then Prove $\frac{\partial(u,v)}{\partial(x,y)} \cdot \frac{\partial(x,y)}{\partial(u,v)} = 1$ [6]
 b) Prove that $\log \left(\frac{\sin(x+iy)}{\sin(x-iy)} \right) = 2i \tan^{-1}(\cot x \tanh y)$ [6]
 c) Solve by Gauss Jordan method $2x + 3y + 4z = 1$, $x + 5y + z = 1$, $x + y + 6z = 5$ [8]
- Q5. a) Prove $\cos^6 \theta - \sin^6 \theta = \frac{1}{32} [\cos 6\theta + 15 \cos 2\theta]$ [6]
 b) Evaluate $\lim_{x \rightarrow 0} \left[\frac{x - \sin x}{x^3} \right]$ [6]
 c) If $y = \cos(m \sin^{-1} x)$ then prove that $(1 - x^2)y_{n+2} - (2n + 1)x y_{n+1} + (m^2 - n^2)y_n = 0$ [8]

- Q6 a) Check if the following vectors [6]

$$X_1 = [3, 1, 2, 1], X_2 = [4, 6, 2, -4], X_3 = [-6, 0, -3, -4]$$

$X_4 = [1, 0, 2, 1]$ are linear dependent hence find the relation between them if any.

- b) If $f\left(\frac{z}{x^3}, \frac{y}{x}\right) = 0$ then [6]

prove that $x \frac{\partial z}{\partial x} + y \frac{\partial z}{\partial y} = 3z$

- c) Fit a second degree parabola $y = ax^2 + bx + c$ to the following data [8]

x	1	2	3	4	5	6	7	8	9
y	2	6	7	8	10	11	11	10	9