$$\frac{\partial u}{\partial x} = 4 \frac{\partial u}{\partial y}$$
when  $u(0, y) = 8e^{-3y} + 4e^{-5y}$ . (5)

(b) A homogeneous rod of conducting material of length 100 cm has its ends kept at zero temperature and the initial temperature is

$$u(x, 0) = \begin{bmatrix} x, & 0 \le x \le 50 \\ 100 - x, & 50 \le x \le 100 \end{bmatrix}$$

Using 1-D heat equation, find the temperature u(x, t) at any time. (10)

This question paper contains 6 printed pages

Your Roll No.

Sr. No. of Question Paper: 1382

 $\mathbf{C}$ 

Unique Paper Code

32221301

2 DEC 2023

Name of the Paper

: Mathematical Physics - II

Name of the Course

: B.Sc. (H) Physics

Semester

: III

Duration: 3 Hours

Maximum Marks: 75

## Instructions for Candidates

- 1. Write your Roll No. on the top immediately on receipt of this question paper.
- 2. Attempt five questions in all.
- 3. Q. No. 1 is compulsory.
- 1. Attempt any five questions:
  - (a) Prove that even function can have no sine terms in its Fourier expansion.

- (b) Determine whether the functions  $\cos 2x$  and  $\cos x$  are orthogonal or not in the interval  $(0, 2\pi)$ .
- (c) Evaluate:  $\int_{0}^{\pi/2} \cos^{6}\theta \ d\theta.$
- (d) Find the value of  $\Gamma\left(\frac{-5}{2}\right)$ .
- (e) Show that for integral values of n,  $AJ_n(x) + BJ_{-n}(x)$  is not a general solution of Bessel equation of order n.
- (f) Prove:  $P'_n(1) = \frac{n(n+1)}{2}$ .
- (g) Find whether x = 1 is an ordinary, regular or irregular singular point of the given differential equation:

$$x^{2}(1-x^{2})y'' + \frac{2}{x}y' + 4y = 0$$

(h) Determine whether or not  $u(x, y) = 4e^{-3x} \cos 3y$  is a solution of given partial differential equation:

$$\frac{\partial^2 \mathbf{u}}{\partial \mathbf{x}^2} + \frac{\partial^2 \mathbf{u}}{\partial \mathbf{y}^2} = 0$$

6. Given,  $e^{\frac{x}{2}\left(t-\frac{1}{t}\right)} = \sum_{n=-\infty}^{\infty} t^n J_n(x)$ 

Verify that:

- (i)  $\cos(x\sin\theta) = J_0(x) + 2J_2(x) \cos 2\theta + 2J_4(x) \cos 4\theta + \dots$
- (ii)  $\sin(x\sin\theta) = 2J_1(x)\sin\theta + 2J_3(x)\sin3\theta + \dots$

Hence prove that:

$$J_{n}(x) = \frac{1}{\pi} \int_{0}^{\pi} \cos(n\theta - x \sin\theta) d\theta$$
 (3,3,9)

7. Using the method of separation of variables, find the general solution of 2-D wave equation for the case of symmetrical circular membrane (radius = a):

$$\frac{1}{r}\frac{\partial}{\partial r}\left(r\frac{\partial u}{\partial r}\right) = \frac{1}{c^2}\frac{\partial^2 u}{\partial t^2}; c > 0$$

subject to the conditions:

$$u(a, t) = 0, \frac{\partial u}{\partial t}\Big|_{t=0} = 0 \text{ and } u(r, 0) = u_0(r)$$
 (15)

8. (a) Using the method of separation of variables, solve the following differential equation:

2. (a) Find the Fourier series expansion of a periodic function given by: (10)

$$f(t) = \begin{bmatrix} E_o \sin t, & 0 < t < \pi \\ 0, & \pi < t < 2\pi \end{bmatrix}$$

- (b) Evaluate:  $\int_{0}^{2} x (8-x^{3})^{1/3} dx$ (5)
- Consider a periodic function f(x) of period  $2\pi$  such

$$f(x) = \pi - x, \ 0 < x < \pi$$

- (a) Plot odd extension of f(x) in the range  $(-3\pi, 3\pi)$ .
  - (3)
- (b) Find its half-range Fourier Sine Series. (6)
- (c) Show that  $1 \frac{1}{3} + \frac{1}{5} \frac{1}{7} + \dots = \frac{\pi}{4}$ (3)
- (d) Also, prove that  $1 + \frac{1}{4} + \frac{1}{9} + \dots = \frac{\pi^2}{6}$ (3)
- Consider the following differential equation: 4.

$$4x^2y'' + 4xy' + (x^2 - 1)y = 0$$

- (a) Find whether x = 0 is an ordinary, regular or irregular singular point.(3)
- (b) Using Frobenius method, determine the roots of indicial equation and hence find the first solution. (4,5)
- (c) Also, find the second solution. (3)
- (a) Prove that orthogonality relation for Legendre polynomials is given by

$$\int_{-1}^{1} P_n(x) P_m(x) dx = \begin{cases} \frac{2}{2n+1}, & m=n\\ 0, & m \neq n \end{cases}$$
 (10)

(b) The generating function of Legendre polynomials is given by:

$$(1-2xt+t^2)^{-1/2}=\sum_{n=0}^{\infty}t^n\ P_n(x),$$

Using this generating function, prove that:

$$P_{n+1}(x) = \frac{2n+1}{n+1} x P_n(x) - \frac{n}{n+1} P_{n-1}(x)$$
 (5)

2. (a) Find the Fourier series expansion of a periodic function given by: (10)

$$f(t) = \begin{bmatrix} E_o \sin t, & 0 < t < \pi \\ 0, & \pi < t < 2\pi \end{bmatrix}$$

- (b) Evaluate:  $\int_{0}^{2} x (8 x^{3})^{1/3} dx$  (5)
- 3. Consider a periodic function f(x) of period  $2\pi$  such that

$$f(x) = \pi - x, 0 < x < \pi$$

- (a) Plot odd extension of f(x) in the range  $(-3\pi, 3\pi)$ .
  - (3)
- (b) Find its half-range Fourier Sine Series. (6)
- (c) Show that  $1 \frac{1}{3} + \frac{1}{5} \frac{1}{7} + \dots = \frac{\pi}{4}$  (3)
- (d) Also, prove that  $1 + \frac{1}{4} + \frac{1}{9} + \dots = \frac{\pi^2}{6}$  (3)
- 4. Consider the following differential equation:

$$4x^2y'' + 4xy' + (x^2 - 1)y = 0$$

- (a) Find whether x = 0 is an ordinary, regular or irregular singular point. (3)
- (b) Using Frobenius method, determine the roots of indicial equation and hence find the first solution. (4,5)
- (c) Also, find the second solution. (3)
- 5. (a) Prove that orthogonality relation for Legendre polynomials is given by

$$\int_{-1}^{1} P_n(x) P_m(x) dx = \begin{cases} \frac{2}{2n+1}, & m=n\\ 0, & m \neq n \end{cases}$$
 (10)

(b) The generating function of Legendre polynomials is given by:

$$(1-2xt+t^2)^{-1/2}=\sum_{n=0}^{\infty}t^n\ P_n(x),$$

Using this generating function, prove that:

$$P_{n+1}(x) = \frac{2n+1}{n+1} x P_n(x) - \frac{n}{n+1} P_{n-1}(x)$$
 (5)