


[This question paper contains 6 printed pages.]

12 MAY 2008 Your Roll No. ....

Sr. No. of Question Paper : 4505



Unique Paper Code : 32171601

Name of the Paper : Inorganic Chemistry IV.:  
Organometallic Chemistry  
and Bio-inorganic Chemistry

Name of the Course : B.Sc. (Hons.) Chemistry

Semester : VI

Duration : 3 Hours

Maximum Marks : 75

### Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.

Attempt any **six** questions out of **nine**.

All questions carry equal marks (12.5).

- (i) The cyclopentadienyl rings in ferrocene have aromatic character but cyclopentadiene itself has no such character explain. Give two reactions of ferrocene which show it is more reactive than benzene.

P.T.O.

(ii) Give the complete cycle describing each step to outline the working of the Ziegler-Natta catalyst for the polymerization of ethene.

(iii)  $\text{Mn}^{2+}$  ions are not precipitated as  $\text{MnS}$  on passing  $\text{H}_2\text{S}$  gas in group II but precipitate as  $\text{MnS}$  on passing  $\text{H}_2\text{S}$  gas in Group IV of qualitative analysis. Explain. (5,5,2.5)

2. (i) What is meant by synergic effect? How does it account for the formation and stability of carbonyl complexes of transition metals in low oxidation states?

(ii) Why is it necessary to remove interfering ions before Group III analysis? Explain.

(iii) Name an important biomolecule containing cobalt and its function? (5,5,2.5)

3. (i) Draw the structure of methyl lithium. In which category of organometallic compounds will you place it? What are the coordination numbers of Li and C in the tetramer?

(ii) What is the difference between active and passive transport? Why is the sodium – potassium pump considered to be a case of active transport? Explain giving the working of sodium-potassium pump.

(iii) Name the reagent used to separate Group IIA and IIB cations. Explain its role. (5,5,2.5)

4. (i) A mixture of salts, when heated with ethanol and conc.  $\text{H}_2\text{SO}_4$  gave a gas A which burnt with a green-edged flame when ignited. The mixture also gave a red gas B when heated with potassium dichromate and conc.  $\text{H}_2\text{SO}_4$ . The pungent gas evolved on heating the mixture with sodium hydroxide solution gave a brown precipitate C with potassium tetraiodomercurate(II). The residue left on boiling the mixture with dilute  $\text{HCl}$  is soluble in hot water and the hot solution gave a white precipitate D with dilute sulphuric acid and a yellow precipitate E with potassium chromate solution. Identify (with formula) A, B, C, D and E and name the ions present.

(ii) Using the MO diagram of CO explain-

(a) CO acts as an electron pair donor and acceptor through carbon and not through oxygen and formation of both sigma and pi bond involve carbon.

(b) CO has negligible donor properties to Lewis acids like  $\text{BF}_3$  but binds to transition metals

(c) CO is referred to as a  $\pi$  acid ligand.

(iii) Name the storehouse and transporter of iron. In which part of human body are they found?

(5,5,2.5)

5. (i) What is Fischer Tropsch process? How is synthetic gasoline prepared using this process?

(ii) How do you rationalize the increase in the C-C bond length from 133.7 pm in ethene to 137.5 pm in Zeise's salt, accompanied by a decrease in C-C stretching frequency from  $1623\text{ cm}^{-1}$  to  $1526\text{ cm}^{-1}$ ?

(iii) Name the metal which plays an important rôle in the enzymes: Carbonic anhydrase and Carboxypeptidase A. Why this metal is considered to be excellent biocatalyst? (5,5,2.5)

6. (i) Describe the Perutz mechanism of oxygenation of haemoglobin. What is the trigger for this mechanism?

(ii) Differentiate between homogenous and heterogeneous catalysis giving examples of each and mention one advantage and one disadvantage of each.

(iii) Which is more stable and why:

$[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)_2]$  or  $[\text{Co}(\eta^5\text{-C}_5\text{H}_5)_2]$ ? (5,5,2.5)

7. (i) What do you understand by essential and non-essential metal ions in the biosystem? Give an example of each type.

(ii) Explain why is sodium carbonate extract prepared to perform confirmatory test for anions in qualitative analysis? Why is the extract acidified before adding any reagent?

(iii) Why is cis-platin active in cancer therapy in contrast to the trans-form? (5,5,2.5)

8. (i) Arrange the following in the increasing order of CO stretching frequencies in the IR spectrum and Explain the order:  $[\text{Mn}(\text{CO})_6]^+$ ,  $[\text{Cr}(\text{CO})_6]$ ,  $[\text{V}(\text{CO})_6]^-$ ,  $[\text{Fe}(\text{CO})_6]^{2+}$ ,  $[\text{Ti}(\text{CO})_6]^{2-}$



- (ii) Why is it necessary to test Group V ions in the order  $\text{Ba}^{2+}$ ,  $\text{Sr}^{2+}$ ,  $\text{Ca}^{2+}$ ?
- (iii) Why are iron and copper essential in the human body? What are the diseases associated with excess of these metals? (5,5,2.5)
9. (i) What are the toxic effects of arsenic? Give the reasons for its toxicity. How can it be treated?
- (ii) Compare the synergic effect of Zeise's salt with that in metal carbonyls. Which one will have higher Fe-C bond order among  $\text{Fe}(\text{CO})_5$  and  $[\text{Fe}(\text{CO})_4]^{2-}$ . Justify your answer.
- (iii) State the formula of the rhodium complex used as Wilkinson's catalyst and the oxidation state of rhodium in it. (5,5,2.5)

[This question paper contains 8 printed pages.]

15 MAY 2023

Your Roll No. ....

Sr. No. of Question Paper : 4522

Unique Paper Code : 32171401

Name of the Paper : Inorganic Chemistry-III

Name of the Course : B.Sc. (H) Chemistry

Semester : IV



Duration : 3 Hours

Maximum Marks : 75

### Instructions for Candidates

- Write your Roll No. on the top immediately on receipt of this question paper.
  - Attempt Six questions in all.
  - All questions carry equal marks.
- (a) Name of the following complexes according to the IUPAC system of nomenclature :






(b) Write the formulae of the following coordination compounds :

(i) Dichloridobis (ethane-1, 2-diamine) platinum (IV) nitrate

(ii) Potassium tetra cyonickelate (II)

(iii) Tris(ethane-1, 2-diamine) chromium (III) chloride

(c) Calculate the oxidation state of central metal atom in the following :




(d) Draw the structures of all geometrical isomers of  $[\text{Pt}(\text{NH}_3)(\text{Br})(\text{Cl})(\text{py})]$ . (3,3,3,3.5)

2. (a) A complex ion having the composition  $[\text{TiL}_6]^{3+}$ , L = neutral ligand shows an absorption maxima at 500 nm ( $500 \times 10^{-9}$  cm). Calculate the crystal field splitting,  $\Delta_0$  for this complex.

(b) What is chelate effect? Describe two factors that contribute to the stability of bis(dimethylglyoximate) nickel(II) complex.

(c) Transition elements normally shows variable oxidation states. Explain.

(d) Arrange the following in increasing order of stability :



Where en = ethylene diamine, dien = diethyltriamine (3,3,3,3.5)

3. (a) Potassium permanganate is stored in dark bottles. Why?


(b) Explain the order of  $\Delta_0$  for octahedral complexes for  $\text{F}^-$ ,  $\text{H}_2\text{O}$ ,  $\text{CN}^-$ .

- (c) The complexes of Mn(II) are generally less stable than those of subsequently divalent 3d series of metal ions. Why?
- (d) All the Cr-F bond lengths in  $[\text{CrF}_6]^{3-}$  are equal but in  $[\text{CrF}_6]^{4-}$  two Cr-F bond lengths are shorter than the remaining four. Explain. (3,3,3,3.5)
4. (a) The complex  $[\text{Pt}(\text{NH}_3)_2(\text{NO}_2)_2]$  exists in two isomeric forms  $\alpha$  and  $\beta$ . The  $\alpha$  form reacts with one mole of oxalic acid whereas  $\beta$  form reacts with two moles of oxalic acid. Give the structure of  $\alpha$  and  $\beta$  form.
- (b) What are the drawbacks of crystal field theory?
- (c) What are spinels? What kind of spinel is  $\text{Fe}_3\text{O}_4$ ?
- (d) Why do d-orbitals of the metal cation split when ligands approach towards it? (3,3,3,3.5)



5. (a) Why do lanthanides and actinides give very sharp bands in their electronic spectra?
- (b) Calculate the magnetic moment of Europium(III). Explain discrepancy between observed and calculated magnetic moment. (Atomic number of Europium is 63).
- (c) Cerium(III) ion with a  $4f^1$  configuration is colourless while cerium(IV) ion with a  $4f^0$  configuration is red. Why?
- (d) Explain the ion exchange method used for separation of Lanthanides. (3,3,3,3.5)
6. Explain the following :
- (a) Crystal field splitting in tetrahedral complexes( $\Delta_t$ ) is only 4/9 of the corresponding splitting in octahedral complexes( $\Delta_o$ ).
- (b)  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$  is blue but  $\text{CuSO}_4$  is colourless.
- (c) How variation of lattice energy of divalent metal halides of the first transition series can be taken as an evidence of crystal field stabilization.



- (d) Inner and outer orbital complex. (3,3,3,3.5)
7. (a) Calculate the CFSE in terms of  $\Delta_t$  of a  $d^7$  metal ion placed in a tetrahedral crystal field. Predict the magnetic behaviour.
- (b) Why is potassium dichromate intensely coloured?
- (c) The  $[\text{Ni}(\text{CN})_4]^{2-}$  is square planar and diamagnetic whereas  $[\text{NiCl}_4]^{2-}$  is tetrahedral and paramagnetic. Explain.
- (d) Explain hydrate isomerism with example. (3,3,3,3.5)
8. (a) Explain the following properties of the transition elements
- Alloy formation
  - Complex formation
- (b) Given below are the Latimer diagram for Cr in acidic medium :



- Write half reaction for the conversion of  $\text{Cr}_2\text{O}_7 \rightarrow \text{Cr}^{3+}$
  - Is there any tendency of  $\text{Cr}^{2+}$  to reduce to Cr? Give reasons.
  - Calculate skip step emf for  $\text{Cr}^{3+} \rightarrow \text{Cr}$  change
- (e) On adding a solution of potassium cyanide to an aqueous metal salt, a green precipitate, A is initially obtained which subsequently dissolves in excess of cyanide to give a yellow complex, B. Addition of iron (III) chloride solution to B gives a blue compound, C. On heating B with concentrated sulphuric acid, a poisonous gas D is evolved. Identify A, B, C, and D. (4,4.5,4)
9. (a) How are the three isomers of  $[\text{Pt}(\text{Br})(\text{NH}_3)(\text{Cl})(\text{py})]$  prepared from  $[\text{PtCl}_4]^{2-}$ .
- (b) Classify the following complex ions as labile or inert. Write the explanatory sentence on each.
- $[\text{V}(\text{H}_2\text{O})]^{3+}$



- (c) The trans isomer of diamminedichloroplatinum(II) complex, is more stable than the cis isomer. Explain. (6,3,3.5)

[This question paper contains 6 printed pages.]

31 MAY 2023

Your Roll No. ....

Sr. No. of Question Paper : 4540

Unique Paper Code : 32171201

Name of the Paper : Organic Chemistry - I

Name of the Course : B.Sc. (H) Chemistry

Semester : II

Duration : 3 Hours

Maximum Marks : 75

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Attempt **six** questions in all
3. **All** questions carry equal marks.


1. Give reasons for the following statements. Attempt any **five** :

- (a) Methyl group in Toluene is ortho-para directing.
- (b) Chair conformation of cyclohexane is more stable than boat conformation.



- (c) Both racemic mixture and meso compound are optically inactive.
- (d) Phenols are less acidic than carboxylic acids.
- (e) Terminal alkynes are acidic in nature.
- (f) Alkenes are more reactive than alkynes towards electrophilic addition reactions. (2.5×5=12.5)

2. (a) Assigning priorities, determine the configuration (E/Z or R/S) for the following compounds.



- (b) An alkene on reductive ozonolysis yields a mixture of two isomers with molecular formula  $C_3H_6O$ . Identify the structure of the alkene and the products. Write the product of reaction between the alkene with HBr. (8,4,5)
3. (a) Comment on the aromaticity of the following compounds
- (i) Naphthalene

- (ii) Cyclopentadienyl cation
- (iii) Cycloheptatriene
- (iv) Pyridine

- (b) A compound (4.25 g in 100 mL)'s solution in chloroform was taken in a polarimeter tube of length 5 cm and its optical rotation (at 25°C) was observed to be  $-1.2$ . Calculate the specific rotation. (8,4,5)

4. (a) Carry out the following conversions :




- (i) Propane to 2,3-Dimethyl butane
- (ii) Propyne to Pent-2-yne
- (iii) But-1-yne to Butan-2-one
- (iv) But-1-ene to But-2-ene

- (b) Write down the mechanism involved in Friedel Craft's alkylation of benzene with propyl chloride. (8,4,5)

5. (a) Draw the Fischer projection for all the possible stereoisomers of butane-2,3-diol. State the correlation among these stereoisomers? Comment on the optical activity of these isomers.
- (b) In halogenation of alkanes why chlorination is more reactive but less selective than bromination?

(c) Why peroxide effect is observed in case of addition of HBr? (5,4,5,3)

6. (a) Complete the following reaction with product(s) (including stereochemistry wherever applicable)



- (b) Calculate the percentage of isomers formed on monochlorination of n-butane.

Relative rates of hydrogens  $3^\circ:2^\circ:1^\circ$  towards chlorination at room temperature are 5.0:3.8:1.

(8,4,5)



7. (a) Comment on the stereochemistry of the products formed when cis and trans isomers of but-2-ene reacts with bromine solution. Explain the reaction with mechanism.

(b) State limitations of Wurtz reaction. How Corey-House synthesis overcomes these limitations? Give with suitable examples.

(c) Which is more acidic, p-nitrophenol or o-nitrophenol? Give reasons. (5,4,5,3)

8. (a) How will you chemically distinguish between 1-butyne and 2-butyne?

(b) Convert the following structures to standard Fischer projections:



- (c) Explain why 1,3-pentadiene is more stable than 1,4-pentadiene?

- (d) Why nitration of toluene is faster than nitration of benzene? (2,4,3,3.5)

9. Write short notes on the following : (any four)

- (a) E1 and E2 reactions (including mechanism)  
 (b) D,L system of configuration (including limitations)  
 (c) Oxymercuration – Demercuration Reaction (including mechanism)  
 (d) Allylic Halogenation using NBS (including mechanism)  
 (e) Nucleophilic addition reactions in alkynes (3.5,3,3,3)

[This question paper contains 2 printed pages.]

17 MAY 23

Your Roll No.....

Sr. No. of Question Paper : 4578

Unique Paper Code : 32173910

Name of the Paper : SEC - Chemistry of Cosmetics & Perfumes

Name of the Course : B.Sc. (Hons.) / B.Sc. (Prog)

Semester : IV/VI

Duration : 2.5 Hours

Maximum Marks : 38

### Instructions for Candidates

- Write your Roll No. on the top immediately on receipt of this question paper. *Chankaya Puri, New Delhi*
- Attempt any four questions. *Q8-1708*
- All questions carry equal marks. *Acc. No.*

- List the main ingredients in the preparation of talcum powder with their importance.
  - What are the ideal characteristics of suntan lotions?
  - Write the full form of BIS, FDA and NMF. (3.5,3,3)
- Name the cosmetics in which rose oil is used.
  - What are the ideal characteristics of nail lacquers? What is the role of nitrocellulose in nail lacquers?



- (e) What is the role of surfactant and thickener in the preparation of shampoo? Explain with examples. (2,3.5,4)
3. (a) Which properties of sandalwood and Eucalyptus oil are used in the cosmetic preparation?
- (b) Name the chemicals which give the flavor of Banana and Apple.
- (c) Explain the preparation and ideal characteristics of soap. (3.5,2,4)
4. (a) What are the ingredients used in the shaving cream?
- (b) What is the difference between deodorant and antiperspirants?
- (c) Name two preservatives used in various powder preparations. (4.5,3,2)
5. (a) Explain the different types of hair colours available in market.
- (b) Explain the Skin Protection Factor (SPF) of sunscreen cream.
- (c) What is the difference between cold cream and vanishing cream? (4.5,2.5,2.5)
6. Write short notes on :
- (a) Method of preparation of lipsticks
- (b) Nail polish remover
- (c) Toothpaste and Tooth powder (3.5,3.3)

[This question paper contains 8 printed pages.]

Your Roll No. ....

Sr. No. of Question Paper : 4678

Unique Paper Code : 32171402

Name of the Paper : Organic Chemistry III :  
Heterocyclic Chemistry

Name of the Course : B.Sc. (Hons.) Chemistry

Semester : IV

Duration : 3 Hours

Maximum Marks : 75

**Instructions for Candidates**

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Attempt **six** questions in all.
3. Question No. 1 is compulsory and carries **15** marks.
4. All other questions are of **12** marks each.

1. (a) An organic compound A ( $C_4H_9NO$ ) on treatment with bromine and aqueous NaOH forms compound B ( $C_3H_9N$ ). B on treatment with  $NaNO_2$  and dil. HCl gives C ( $C_3H_8O$ ) along with the evolution of

P.T.O.


$N_2$  gas. C forms iodoform with iodine and aqueous  $Na_2CO_3$ . Identify 'A', 'B' and 'C'. Give the sequence of reactions involved. Name the reaction involved in conversion of A to B with mechanism.

(b) How will you show that Naphthalene consists of two benzene rings fused together? Explain giving the complete sequence of reactions.

(c) Arrange the following in increasing order of basicity. Give reason.

Pyridine, Pyrrole, Pyrrolidine

(d) Define 'Tsoprene rule'. Indicate the isoprene units in the following compounds with the dotted lines :



(6,3,3,3)

2. (a) Describe Haworth's method for the synthesis of Naphthalene.

(b) Electrophilic substitution reaction in Phenanthrene occurs preferably at C-9. Explain by drawing the relevant resonating structures.

(c) Comment on the fact that Anthracene undergoes Diels - Alder reaction. Support your answer by giving an example.

(d) All bond lengths in Naphthalene are not equal. Explain with the help of suitable structures.

(3,3,3,3)

3. (a) How will you distinguish between Aniline, N-methylaniline and N,N-dimethylaniline using Hinsberg's method? Give reactions.

(b) Arrange the following compounds in order of decreasing basicity. Give reason to justify your answer :

m-methoxy aniline; p-methoxy aniline; aniline

(c) N-ethyl-N-methylaniline is chiral but non-resolvable. However, 2-aminopentane is resolvable. Explain.



(d) Write the final product formed in the reaction of nitrobenzene under the following conditions :

(i)  $\text{Sn/HCl}$

(ii)  $\text{Zn/NH}_4\text{Cl}$

(iii) Electrolytic reduction (3,3,3,3)

4. (a) Carry out the following conversions (**any three**) :

(i) Aniline into benzonitrile








(ii) Benzyl chloride into anthracene






(iii) Aniline into 1,3,5-tribromobenzene

(iv) Pyrrole into 3-chloropyridine

(b) Write the mechanism of acid catalysed hydrolysis of alkyl nitriles. (3,3,3,3)

5. Complete the Reactions : (**any 12**) (12×1=12)





6. (a) Citral contains an  $\alpha$ ,  $\beta$ -unsaturated carbonyl group. Justify giving the relevant reaction.

- (b) Discuss the reaction which indicate the position of linkage between pyridine and N-methyl pyrrolidine in nicotine.

- (c) How will you show the presence of the following in an alkaloid :

(i) o-methyl group

(ii) phenolic group

- (d) Give the synthesis of citral from methylheptenone using Reformatsky reaction. (3,3,3,3)

7. (a) Thiophene undergoes electrophilic substitution reaction at 2-position. Explain giving suitable structures.
- (b) The reactions of pyrrole cannot be done in strongly acidic medium. Give reason and the reaction involved.
- (c) Pyridine undergoes nucleophilic substitution reactions also. Justify the statement by providing suitable resonating structures.

- (d) Discuss the aromatic character of furan based on resonance. On catalytic hydrogenation, furan loses its aromaticity. Give the reaction and explain.

(3,3,3,3)

8. (a) Write short notes on the following (any two) :

(i) Pomeranz-Fritsch synthesis of Isoquinoline

(ii) Fischer-Indole synthesis

(iii) Mannich reaction

- (b) Outline the reaction sequence involved in the Hoffmann exhaustive methylation procedure of hydrogenated quinoline. (4,4,4)

[This question paper contains 4 printed pages.]

24 MAY 2023  
Sr. No. of Question Paper : 4706

Your Roll No. ....

Unique Paper Code : 32177904

Name of the Paper : Analytical Methods in Chemistry

Name of the Course : B. Sc. (Hons.) Chemistry

Semester : VI

Duration : 3 Hours

Maximum Marks : 75

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Attempt a total of 6 questions.
3. **Three** questions to be attempted from **section A** and **three** from **section B**.
4. **All** questions are equal marks.
5. Log tables to be provide to the candidates.
6. Use of scientific calculator is allowed



## SECTION – A

Attempt any 3 questions from this section

1. Attempt any five of the following :

- Explain electroanalytical methods.
- What are the advantages of continuous drying over the batch drying?
- Explain the sample injection system in GC?
- What is *Electro Osmotic flow*?
- Discuss the principle and one application of DSC?
- Differentiate between partition chromatography and adsorption chromatography. (5×2.5)

- What is thermal gravimetric analysis (TGA)? Discuss decomposition analysis of  $\text{CaC}_2\text{O}_4 \cdot 2\text{H}_2\text{O}$  using TGA.
  - What are redox titrations? Explain with one example.
  - Explain the preparation of TLC plates and give applications of TLC. (4,4,4.5)

3. Write short notes on the following :

- Analytical applications of *thermogravimetry*.
- Chromatogram
- Cyclic voltammetry (4,4,4.5)

- Explain column chromatography and its applications.
  - What are the criteria for a good thermobalance?
  - Lead was determined in a sample of dust by eight different methods and the results are 9.11, 9.14, 9.21, 9.12, 9.08, 9.09, 9.14 and 9.16. Calculate the arithmetic mean and standard deviation. (4,4,4.5)

## SECTION – B

Attempt any 3 questions from this section

- Give a schematic diagram of a glass electrode and explain its function. Why is the glass electrode stored in water?
  - How is potentiometry used to find  $E_{\text{eq}}$  in an *redox process*?

- (c) What are mobile phase and a stationary phase in a Thin Layer chromatography with examples? (4,4,4.5)
6. Distinguish between the following :
- standard deviation and average deviation.
  - Batch extraction and continuous extraction.
  - accuracy and precision. (4,4,4.5)
7. (a) What is the principle of paper chromatography? Explain the procedure of paper chromatography.
- (b) Explain the conductometric titration of a weak acid with a strong base.
- (c) Explain the types of Polarography with their applications. (4,4,4.5)
8. (a) Define the following terms and give the mathematical expression for each of the following :
- Retardation factor
  - Partition coefficient
- (b) Write short notes on batch extraction and counter current extraction.
- (c) Define the following :
- (AAS) Atomic absorption spectroscopy
  - Flame photometry (4,4,4.5)

(500)

[This question paper contains 8 printed pages.]

26 MAY 2023

Your Roll No. ....



Sr. No. of Question Paper : 4785

Unique Paper Code : 32171602

Name of the Paper : Organic Chemistry V : Spectroscopy

Name of the Course : B.Sc. (Hons.) Chemistry

Semester : VI

Duration : 3 Hours

Maximum Marks : 75

Instructions for Candidates

- Write your Roll No. on the top immediately on receipt of this question paper.
  - Attempt any **Six** questions in all.
- Attempt any **five** questions :
    - The PMR spectrum of dimethyl formamide shows two signals at 52.84 and 83.0 for the methyl protons at room temperature but a single sharp peak appears at high temperature (165°C). Explain.

P.T.O.

(b) In IR spectroscopy, o-nitrophenol shows a band at  $3200\text{ cm}^{-1}$  in KBr pellet as well as in chloroform solution, whereas in p-nitrophenol the values are different in two media ( $3330\text{ cm}^{-1}$  in KBr pellets and  $3520\text{ cm}^{-1}$  in chloroform). Explain.

(c)  $\lambda_{\text{max}}$  for aniline shifts from 230 nm in neutral solution to 203 nm in acidic medium. Name the effect and explain.

(d) What are edible dyes? Give name and structure of two edible dyes.


(e) Identify the class of following polymers and give two uses of each.

(i) Polyacetylene

(ii) poly (L-lactic acid)

(f) Azadirachtin has a bitter taste but a wonder drug. Comment. (5×2.5)

2. (a) Compound C is an aromatic amine which shows no peak in the region  $3100$  to  $3600\text{ cm}^{-1}$ . Compound D absorbs at 465 nm and is red at pH below 3.1 and yellow above pH 4.4.




Identify compounds A, B, C and D and explain all the reactions involved. Discuss the use of compound D.

(b) Outline the synthesis of Malachite Green. Label the structures that form the leuco base, colour base and the dye salt.

(c) How is Indigotin obtained from Indigofera plants and why is it called Vat Dye? (4.5,4,4)

3. (a) Complete the following reaction by giving all the structures involved.




Give IUPAC name of compound (C). Discuss its uses and side effects.

(b) Give the name and one synthesis of a drug used for the treatment of typhoid.

(c) What is the active principle of Zantac? Discuss its medicinal values. (4.5,4,4)






4. (a) Identify the following polymer.



Give the synthesis of polymer and its monomer.

- (b) Arrange the following monomers in order of their decreasing ability to undergo anionic polymerization with reasons.



- (c) Discuss the uses of plasticized PVC and unplasticized PVC. Give the name and structure of two plasticizers. (4.5,4,4)

5. (a) In PMR spectroscopy, what information can be obtained from the following :

- (i) Number of signals
- (ii) Chemical shift
- (iii) Area under peaks

- (iv) Splitting of signals


- (v) Coupling constant

- (b) A compound with molecular formula  $\text{C}_2\text{H}_2\text{BrCl}$  exhibits two doublets ( $J=16 \text{ Hz}$ ) in PMR spectra. Suggest a structure with explanation.




- (c) Explain why the aldehydic protons appear much downfield in PMR spectrum. (4.5,4,4)

6. (a) IR spectrum of methyl salicylate exhibit peaks at  $3300, 2990, 3050, 1590$  and  $1540 \text{ cm}^{-1}$ . Assign these peaks with reasons.

- (b) Distinguish the following pairs of compounds by IR spectroscopy



- (c) The carbonyl stretching absorption for the following lactones are  $1720, 1745$  and  $1760 \text{ cm}^{-1}$ . Match the absorption with the appropriate structure and give a reason for each choice.




(4.5,4,4)

7. (a) (i) An organic compound in hexane exhibit  $\lambda_{\max} = 305\text{nm}$  and in ethanol shows  $\lambda_{\max} = 307\text{nm}$ . What should be the nature of transition and why?



- (ii) Discuss the effect of steric hinderance to coplanarity in UV spectra by taking an example of cis and trans stilbene.

- (b) Compound A has formula  $\text{C}_{11}\text{H}_{16}\text{O}$  and be reduced to B,  $\text{C}_{11}\text{H}_{18}\text{O}$  with hydrogen in presence of palladium. Compound B was found to have the following structure.



The UV spectrum of A showed strong absorption with  $\lambda_{\max}$  at 225nm and this absorption was not present in UV spectrum of B. What is the structure of A? (Use Woodward Fieser Rule)

- (c) Distinguish among the following isomeric system by UV spectroscopy. (Use Woodward Fieser Rule)



Base value for homoannular (cisoid) diene = 253 nm  
 Base value for heteroannular (transoid) diene = 214 nm  
 Base value for Acyclic conjugated diene = 217 nm  
 Acyclic enone base value = 215 nm

Increment for :

Alkyl substituent or Ring residue attached to the parent diene = 5 nm

Double bond extending conjugation = 30 nm

Exocyclic double bonds = 5 nm

Homoannular diene component = 39 nm

$\alpha$ -alkyl group or ring residue = 10 nm

$\beta$ -alkyl group or ring residue = 12 nm

$\gamma$ -and higher alkyl group or ring residue = 18 nm  
(4.5,4,4)

8. A and B are two isomers. Assign given peak values appropriately to two isomers of molecular formula  $C_3H_6O$  give their structures and explain all peaks :

UV (in n-hexane)  
A: 184 nm ( $\epsilon$  max 10000)

IR (in KBr)  
2975, 2827,  
2725, 1740  $cm^{-1}$



$^1H$  NMR ( $CDCl_3$ )  
 $\delta$  9.8 (t, 1H);  
 $\delta$  2.47 (m, 2H);  
 $\delta$  1.2 (t, 2H)

B: transparent above 180 nm  
(12.5)

980-1010  $cm^{-1}$  (s)

$\delta$  3.5 (m, 2H);  $\delta$  4.5 (t, 4H)

OR



Identify A, B, C, D. Give their structures, names. Explain all peak of absorption of IR stretching frequencies. Give name of D and its uses. In D how much is the DP (degree of polymerization)?

(12.5)

(1500)

[This question paper contains 8 printed pages.]

Your Roll No. ....

Sr. No. of Question Paper : 4802

Unique Paper Code : 32171403

Name of the Paper : Physical Chemistry – IV

Name of the Course : B.Sc. (Hons.) Chemistry

Semester : IV

Duration : 3 Hours

Maximum Marks : 75

### Instructions for Candidates

- Write your Roll No. on the top immediately on receipt of this question paper.
- Attempt any six questions in all.
- Use of scientific calculator is permitted.

- (a) Distinguish between order and molecularity.
  - (b) Can the activation energy of a reaction be zero or negative? (2+2)
- (ii) The rate law for the reaction described by



P.T.O.



is first order in the concentration of  $\text{N}_2\text{O}_{2(\text{g})}$ . Derive an expression for the time-dependent behavior of  $[\text{NO}]$ , the product concentration. (4)

(iii) The reaction between carbon disulfide and ozone



was studied using a large excess of  $\text{CS}_{2(\text{g})}$ . The pressure of ozone as a function of time is given in the following table :

Time /s	0	30	60	120	180	240
Ozone pressure / torr	1.76	1.04	0.79	0.52	0.37	0.29

Is the reaction first order or second order with respect to ozone? (4.5)

2. (i) The half-life period of a reactant is 50 minutes at a certain concentration is reduced to one half of the initial concentration, the half-life period becomes 25 minutes. What is the order of the reaction? (4)


(ii) Give reason : (Any two)

(a) It is rare for a reaction to have molecularity more than three.

(b) The value of steric factor  $p$  is usually less than one.

(c) Higher the activation energy of a reaction, slower is the rate of reaction. (2+2)

(iii) The mechanism proposed for the decomposition of  $\text{N}_2\text{O}_5$  is :



Derive the expression for the rate of disappearance of  $\text{N}_2\text{O}_5$ . (4.5)

3. (i) Discuss Collision Theory of bimolecular gaseous reactions. (4)

(ii) A first order reaction has rate constant  $2.2 \times 10^{-5} \text{ min}^{-1}$  at 458 K and  $3.07 \times 10^{-3} \text{ min}^{-1}$  at 510 K respectively. Calculate the energy of activation. (4)

(iii) The rate constant for the dissociation of ethane




is given by :  $k = 5 \times 10^6 \exp\left(\frac{-368 \text{ kJ}}{RT}\right)$

Calculate the enthalpy and entropy of activation for this reaction at 850 K. (4.5)

4. (i) The decomposition of phosphine,  $\text{PH}_3$ , on tungsten is first order at low pressures and zeroth order at high pressures. Account for these observations. (2)

(ii) For the reaction :



Show that :

$$[C]_t = [A]_0 \left[ 1 - \frac{1}{(k'_1 - k_1)} \{ k'_1 \exp(-k_1 t) - k_1 \exp(-k'_1 t) \} \right]$$

Further plot the graph illustrating the variations of  $[A]$ ,  $[B]$ ,  $[C]$  with time 't', considering  $k'_1 \gg k_1$ . (6)

- (iii) The enzyme catalase catalyzes the decomposition of  $\text{H}_2\text{O}_2$ . The data are :

$[\text{H}_2\text{O}_2] / (\text{mol/L})$	0.001	0.002	0.005
Initial rate / $(\text{mol/L s})$	$1.38 \times 10^{-3}$	$2.67 \times 10^{-3}$	$6.00 \times 10^{-3}$

If the concentration of catalase is  $4.0 \times 10^{-9} \text{ mol/L}$ , plot the data to determine  $r_{\text{max}}$ , the constant  $K_M$ , and the turnover number,  $k_2$ . (4.5)

5. (i) Draw and discuss the titration curves obtained during the conductometric titration of :

(a) An aqueous solution of  $\text{CH}_3\text{COOH}$  with aqueous solution of  $\text{NaOH}$ .

(b) An aqueous solution of  $\text{HCl}$  with aqueous solution of  $\text{NH}_4\text{OH}$ . (2+2)

- (ii) Discuss the asymmetric effect and electrophoretic effect. How these effects can be minimized? (4)

- (iii) At  $25^\circ\text{C}$ , the specific conductance of distilled water is  $58.0 \times 10^{-7} \text{ Sm}^{-1}$  and the  $\lambda^\circ_m$  values of  $\text{H}^+$  and  $\text{OH}^-$  ions are  $349.8 \times 10^{-4}$  and  $198.5 \times 10^{-4} \text{ Sm}^2 \text{ mol}^{-1}$ , respectively. Assuming that  $\lambda_m$  differs very little from  $\lambda^\circ_m$ , calculate the ionic product of water at  $25^\circ\text{C}$ . (4.5)

6. (i) What is Walden's rule? Explain, why Walden's rule is not applicable to cations of small sizes. (4)

- (ii) Calculate the transport numbers of  $H^+$  and  $Cl^-$  from the following data obtained by moving boundary method using  $CdCl_2$  as the indicator electrolyte; concentration of  $HCl$  solution = 0.1 M, mass of  $Ag$  deposited in the coulometer = 0.1209 g; movement of boundary = 7.50 cm and cross-sectional area of the tube =  $1.24 \text{ cm}^2$ . (4)
- (iii) Describe Hittorf's method for determination of transport number. (4.5)

7. (i) Attempt any two :

- (a) Transport number of  $Cl^-$  ion in aqueous solution of  $HCl$  is 0.16 and it is 0.62 in aqueous solution of  $NaCl$ . Explain the difference.
- (b) Define ionic mobility. How does it differ from ionic speed?
- (c) Explain why conductivity decreases on dilution whereas molar conductivity increases? (2+2)
- (ii) The specific conductivity of a saturated solution of  $CaF_2$  was found to be  $4.2 \times 10^{-5} \text{ ohm}^{-1} \text{ cm}^{-1}$ . The specific conductivity of water used to make the solution was  $2.0 \times 10^{-6} \text{ ohm}^{-1} \text{ cm}^{-1}$ . The

equivalent conductivities of  $Ca^{2+}$  and  $F^-$  ions are 52.0 and  $48.0 \text{ ohm}^{-1} \text{ cm}^2 \text{ equiv}^{-1}$ . Calculate the solubility of  $CaF_2$  in water. (4)


- (iii) State and explain Kohlraush's law of independent migration of ions. If the molar conductivities at infinite dilution of  $NaCl$ ,  $HCl$  and  $CH_3COONa$  are 126.4, 426.1 and  $91.0 \text{ ohm}^{-1} \text{ cm}^2 \text{ mol}^{-1}$  respectively, what will be the molar conductivity of Acetic acid? (4.5)

8. (i) Define quantum yield. How it is determined experimentally using a uranyl oxalate actinometer? Give reasons for high and low quantum yield. (4)

- (ii) In a given cell, solution 'A' transmits 42% and solution 'B' 85% of radiation having a certain wavelength. What is the transmittance at the same wavelength of a solution made by mixing 35 mL solution 'A' and 55 mL solution 'B' if no reaction occurs? (4)

- (iii) Formaldehyde can be synthesized by irradiating a mixture of  $CO$  and  $H_2$  containing a trace of  $Hg$  with light of wavelength 253.7 nm. Show that the given reaction mechanism





confirms the following rate law

$$\frac{d[\text{HCHO}]}{dt} = \frac{k_5 I_a}{k_5 + k_6} + k_4 [\text{H}_2] \left( \frac{I_a}{k_5 + k_6} \right)^{1/2} \quad (4.5)$$

9. (i) Adsorption of UV radiations decomposes acetone according to the reaction :



The quantum yield of the reaction at 280 nm is 0.2. A sample of acetone absorbs monochromatic radiation at 280 nm at the rate of  $7.5 \times 10^{-3} \text{ J s}^{-1}$ . Calculate the rate of formation of CO. (3.5)

- (ii) Write short notes : (Attempt any **three**)
- Phosphorescence and Fluorescence
  - Photosensitized reactions
  - Van't Hoff Differential Method for determination of order of reaction.
  - Stationary and non-stationary chain reactions.
  - Ostwald's dilution law. (3+3+3)

(500)

[This question paper contains 8 printed pages.]

Your Roll No....

Sr. No. of Question Paper : 4832

Unique Paper Code : 32177908

Name of the Paper : DSE-4: Green Chemistry

Name of the Course : B.Sc. (H) Chemistry

Semester : VI

Duration : 3 Hours

Maximum Marks : 75

### Instructions for Candidates

- Write your Roll No. on the top immediately on receipt of this question paper.
- Attempt **six** questions.
- All parts of a question should be attempted together.
- Each question carries **12.5** marks.

- (a) Explain briefly each level of Waste Prevention Hierarchy,

P.T.O.

(b) Fill in the blanks (attempt any **four**)

- (i) Sonochemistry is the process of organic synthesis under \_\_\_\_\_ irradiation.
- (ii) \_\_\_\_\_ is a good alternative for dry cleaning of clothes.
- (iii) Risk = (function) \_\_\_\_\_ X exposure.
- (iv) Ionic liquids are also known as \_\_\_\_\_ solvents.
- (v) The critical pressure and critical temperature of  $\text{ScCO}_2$  \_\_\_\_\_


(c) Match the following :

I	Flixborough Disaster	i	Barry M. Trost
II	Adipic acid	ii	MIC
III	Atom Economy	iii	Cyclohexanol
IV	Bhopal Gas Tragedy	iv	D-Glucose

(4.5,4,4)

2. (a) Provide green route for the synthesis of the following compounds (attempt any **three**) :

- (i) Catechol
  - (ii) Adipic Acid
  - (iii) Disodium iminodiacetate
  - (iv) Methylmethacrylate
- (b) "What you don't have cannot harm you" is referred to which principle of green chemistry? Explain.
- (c) An act was set up in 1990 to reduce or eliminate the toxicity of wastes. Name and elaborate it.
- (4.5,4,4)
3. (a) What is atom economy? Consider the following acid promoted nucleophilic substitution reaction.




This reaction begins with dissolving 1.33 g of sodium bromide in 1.5 mL of water, followed by the addition of 0.80 mL (1.6 g) of 1-butanol and 1.1 mL (2.0 g) of concentrated sulfuric acid. On completion of the reaction, only 1.0 g of the

product was obtained. Calculate the percentage yield of the reaction and also calculate the atom economy of the above reaction. Also compare the percentage yield and atom economy.

(b) Give an example of:

- (i) Biocatalyst
- (ii) Solvent less process
- (iii) Photocatalyst
- (iv) Green Plastics

(c) Explain, whether the following chemical synthesis can be considered as "Green"?



4. (a) Explain, microwave assisted synthesis of copper(II) complex of phthalocyanine. What are its advantages over conventional synthesis? Also name the green chemistry principle involved in its synthesis.

(b) What are trans fats? Describe the innovation by Novozyme in the production of non-trans fats and oils. Under what category in Presidential Challenge award, was this innovation accredited?

(c) Write the full name of the following (attempt any four):

- (i) EPA
- (ii) TAML
- (iii) TEMPO
- (iv) FAME
- (v) DSIDA
- (vi) PEG

(4, 5, 4, 4)



5. (a) \_\_\_\_\_ is the most versatile, biodegradable thermoplastic polyester. How is it synthesized in a greener way?
- (b) What is cradle to cradle ( $C_2C$ ) approach? Draw a labeled diagram of  $C_2C$  approach.
- (c) What are fluoruous biphasic solvents? Discuss the limitations and one valuable applications of the solvent system. (4.5,4,4)
6. (a) With the help of a labeled phase diagram, show all the phases of  $CO_2$ ? How the supercritical phase is different from liquid phase? Write the advantages of using  $ScCO_2$  over PERC in dry cleaning of garments?
- (b) Explain, how green chemistry and sustainable development are inter-related to each other.
- (c) Ultrasound assisted reaction is a step towards a greener environment. Justify giving example. (4.5,4,4)

7. (a) Define ionic liquids. Why they are considered as green? Give any one application of ionic liquids being used as a green solvent.
- (b) Why catalytic amount of reagent is favoured over the stoichiometric amount of the same reagent? Explain with suitable examples.
- (c) What are the advantages of thiamine catalysed benzoin condensation over the conventional benzoin condensation? Write down the reaction involved, shedding light on the principles involved. (4.5,4,4)
8. (a) What is ozone layer? Discuss its role. Name the chemicals which cause depletion of ozone layer and explain the various reactions involved.
- (b) Write an account on environmentally advanced wood preservatives.
- (c) Avoidance of unnecessary derivatization and careful use of blocking/protecting groups is necessary in green chemistry practice. Explain with two suitable examples. (4.5,4,4)

9. (a) Write down the reaction involved in the carbaryl synthesis at UCIL factory. Also, suggest a greener alternative to the synthesis.

(b) Differentiate between :

(i) Homogenous and Heterogenous catalyst

(ii) Renewable and Nonrenewable Feedstock

(c) Write short notes on the following (attempt any two) :

(i) Bio-pesticides (Harpin)

(ii) Oxidation reagents and catalysts

(iii) Phase Transfer Catalyst (PTC)

(4.5,4,4)

(1000)

[This question paper contains 2 printed pages.]

12 MAY 2023

Your Roll No. ....

Sr. No. of Question Paper : 5625

Unique Paper Code : 32173910

Name of the Paper : Chemistry of Cosmetics and Perfumes

Name of the Course : B.Sc. (Hons) / B.Sc. (Prog.)

Semester : IV/VI

Duration : 2 Hours

Maximum Marks : 38

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Attempt **four** questions in all.
3. Question No. **1** is compulsory. Attempt any **three** other questions from the remaining **four** questions.

1. (a) Classify the cosmetics on the basis of body parts?  
(b) Explain the difference between vanishing creams and cold creams.  
(c) Name and discuss the role of preservatives and antiseptic agent used in the preparation of medicated powder.  
(d) What is the role of ammonia or any amine compound in the preparation of permanent hair dye ?

P.T.O.

- (e) Give full form of INCI and BIS. (3×4,2)
2. (a) Define SPF? Explain the significance of SPF30, SPF60 and SPF95 with reference to sunscreen cream.
- (b) What is the function of nitrocellulose, cetyl alcohol, pigments and lanolin in nail lacquer formulation? (4,4)
3. (a) What are Deodorants? Discuss the role of main ingredients of deodorants.
- (b) What are the different types of shampoo? What is the role of hair conditioners? (4,4)
4. (a) What are flavors? Discuss the different types of flavouring substances.
- (b) What is the difference between tooth paste and tooth powder? Write the formulation of tooth powder. (4,4)
5. Write short notes (any two):
- (a) Lipsticks
- (b) Antiperspirants
- (c) Essential Oils
- (d) Types of Skin (4,4)

