Total	No.	of	Questions	:	8]	
-------	-----	----	-----------	---	----	--

SEAT No. :	
------------	--

[5529]-1001 M.Sc. PHYSICS [Total No. of Pages : 2

PHYUT-501 : Classical Mechanics (2014 Pattern) (Semester - I) (Credit System) (4 Credits)

Time: 3 Hours [Max. Marks: 50

Instructions to the candidates:

- 1) Answer any five questions out of eight questions.
- 2) Neat diagrams must be drawn wherever necessary.
- 3) Figures to the right side indicate full marks.
- 4) Use of calculator is allowed.
- Q1) a) A cylinder of radius R & mass M rolls down an inclined plane making an angle α with horizon set up the Lagrangian and find the equation of motion.
 - b) Find the equation of motion of spring mass system using Hamiton's principle. [3]
 - c) Show that the transformation $Q = \frac{1}{P} \& P = qp^2$ is canonical. [3]
- Q2) a) Find the equation of the curve passing through two fixed points such that the area of the surface obtained by revolving the curve about y-axis is minimum. [4]
 - b) Write down the Hamiltonian for compound pendulum. Obtain its equation of motion. [3]
 - c) Derive the equation for two body problem into equivalent one body problem. [3]
- **Q3)** a) Show that the transformation $Q = q \tan p \& P = \log(\sin p)$ is a canonical using Poisson's bracket. [4]
 - b) Write down the Lagrangian for a particle of mass m under central force field $F = \frac{-K}{r^2}$. Obtain its equation of motion. [3]
 - c) What are configuration space, phase space and state space? [3]

01)	٥)	Evaluate the Paisson's bracket [I I]	[4]
Q4)	a) b)	Evaluate the Poisson's bracket $[L_x, L_y]$. Prove that the plane of oscillation of Focault's pendulum rotates at anguspeed of $15^{\circ}\sin\phi$ per hour, where ϕ is latitude of the place.	[4] ılar [3]
	c)	Show that the generating transformation $F = \sum 9_K P_K$ generates the iden transformation.	tity [3]
Q5)	a)	Write the type of contraints for:	[4]
		i) Gas filled hollow sphere.	
		ii) Pendulum with variable length.	
	b)	Using variational principal. Show that shortest distance between t points in a plane is straight line.	wo [3]
	c)	What are interial frame of references? How two interial frames S & S' related by Galilean transformation.	are [3]
Q6)	a)	The transformation equations between two sets of coordinates	are
~ /		$P = 2(1 + \sqrt{q}\cos p)\sqrt{q}\sin p \& Q = (1 + \sqrt{q}\cos p)$	[4]
		Show that the transformation is canonical.	
	b)	Write the coriolis force for a river flow on the surface of the earth.	[3]
	c)	Write a short note on Artificial Satellites.	[3]
Q7)	a)	Write down the Lagrangian of a particle of mass m in a conservat force field in cylindrical polar coordinates.	ive [5]
	b)	Prove that Poisson's bracket remains invariance under Canoni transformation (q, P) to (Q, p).	cal [5]
Q8)	a)	A particle slides from rest at one point on a frictionless wire in a verti- plane to another point under the influence of earth's gravitional field the particle travels in the shortest time, show that the path followed b	l. If

- is a cycloid. [5]
 - A particle of mass m, is thrown vertically downwards with a velocity V. Discuss the effect of coridis force on its motion when variation of gravity is neglected. [5]



\mathbf{D}^{2}	7 4 5
\mathbf{P}	147

SEAT No.:	
-----------	--

[Total No. of Pages :2

[5529]-1002 M.Sc.

PHYSICS

PHYUT-502: Electronics

		(2014Pattern) (Semester - I) (4 Credits)	
Time	e : 31	Hours] [Max. Mar	ks : 50
Instr	ucti	ons to the candidates:	
	<i>1)</i>	Solve any <u>FIVE</u> questions out of eight questions.	
	<i>2)</i>	Neat diagrams must be drawn wherever necessary.	
	<i>3)</i>	Figures to the right indicate full marks.	
	<i>4)</i>	Use of calculators is allowed.	
Q 1)	a)	Draw the internal block diagram of timer IC 555. Explain its working	ng.[4]
	b)	Design regulated power supply using IC723 for +5V output voltage	e with
		ISC=65mA.	[3]
	c)	Give the circuit diagram for R-2R ladder type DAC. Give the expre	ession
		for its output voltage for 4bit DAC if logic 0=ov & logic 1=Vref.	[3]
Q2)	a)	Draw the internal block diagram of shift register IC7495. Expla	in its
_ ′		working as SISO operation.	[4]
	b)	State at least three features of 78xx 3pin voltage regulator.	[3]
	c)	Map the following expression on K-map and minimize it.	[3]
	,		f. J
		$Y = \overline{A}B\overline{C}\overline{D} + AB\overline{C}\overline{D} + \overline{A}B\overline{C}D + AB\overline{C}D$	
Q3)	a)	Explain with neat block diagram, the operation of IC 566 VCO. Give	
		formula for its output frequency.	[4]
	b)	What is meant by ADC? Define any two characteristics of ADC.	[3]
	c)	Draw scaling circuits for MOD-2, MOD -5 and MOD-10 counter	using
		IC 7490.	[3]
Q4)	a)	Draw the circuit diagram of Astable multivibrator using OPAMP. Ex	kplain
		its operation.	[4]
	b)	Design the voltage regulator for 12v output voltage using LM317. (As	ssume
		$vin = 20v$ and $R_1 = 240\Omega$)	[3]
	c)	Explain the working of a successive approximation type ADC.	[3]
	,	1 8	[-]

- **Q5)** a) What is PLL? Explain the functional block diagram of PLL IC 565. [4]
 - b) Write a short note on SMPS. [3]
 - c) Explain with neat diagram, the working of 3bit serial up-down counter. [3]
- **Q6)** a) What is foldback current limiting? Explain with neat circuit diagram, the operation of foldback power supply using IC 723. [4]
 - b) Explain with neat circuit diagram, the working of dual slope ADC. [3]
 - c) Draw internal block diagram of IC 7490 Explain its working. [3]
- **Q7)** a) Draw a circuit diagram of counter type ADC. Explain its working. What are the limitations of this ADC? [5]
 - b) Design an astable multivibrator using IC 555 for an output frequency of 1 KHz and duty cycle of 66.6% Vcc=+9v and c=0.1 μf Draw a necessary circuit diagram.
- **Q8)** a) Calculate the output frequency f_o lock range Δf_L and capture frequency Δf_c of PLL IC565 if $R_T = 10 \text{ k} \Omega$, $C_T = 0.01 \mu\text{f}$, $C_F = 10 \mu\text{f}$ and $Vcc = \pm 10 \text{v}$.
 - b) Place the following boolean expression on truth table. Minimize this equation using K-map and realize it using logic gates

$$Y = \sum m(3,4,6,7)$$
. [5]



Total No.	of Questions	:	8	ı
-----------	--------------	---	---	---

SEAT No.:	
-----------	--

[Total No. of Pages: 3

P2746

[5529]-1003

M.Sc.

PHYSICS

PHY UT-503 : Mathematical Methods in Physics (2014 : 4 Credit Based System Pattern) (Semester-I) (Credit System)

Time: 3 Hours] [Max. Marks: 50

Instructions to the candidates:

- 1) Attempt ANY FIVE questions.
- 2) Draw neat diagrams wherever necessary.
- 3) Figures to the right indicate full marks.
- 4) Use of logarithmic table and calculator is allowed.
- **Q1)** a) Let $V = R^3$. Determine whether W is a subspace of V where: [4]
 - i) $W = \{(a,b,c) : a+b+c=0\}$
 - ii) $W = \{(a,b,c): a^2 + b^2 + c^2 \le 1\}$
 - b) Find Laplace transform of $\sin h(at)$. [3]
 - c) Obtain the first three Laguerre polynomials. [3]
- **Q2)** a) State and Explain the Dirichlet conditions. [4]
 - b) Determine whether or not the following vectors in \mathbb{R}^3 are linearly dependent: $\{(1,2,-3), (1,-3,2), (2,-1,5)\}$. [3]
 - c) Normalize each of the following vectors in Euclidean space R³: [3]
 - i) u = (2,1,-1)
 - ii) $v = \left(\frac{1}{2}, \frac{2}{3}, -\frac{1}{4}\right)$

Q3) a) Let V be the vector space of polynomias with inner product given by $\langle f,g \rangle = \int_0^1 f(t) \, g(t) \, dt$. Let f(t) = t+2 and $g(t) = t^2 - 2t - 3$. Find $\langle f,g \rangle$ and ||f||.

- b) Write the vector v = (3, 1, -4) as a linear combination of $f_1 = (1,1,1)$, $f_2 = (0, 1,1)$ and $f_3 = (0, 0, 1)$. [3]
- c) Obtain the Fourier series corresponding to the function: [3]

$$f(x) = 0, -5 < x < 0$$

 $f(x) = 3, 0 < x < 5 \text{ Period} = 10$

- **Q4)** a) Verify that the following is an inner product in R²: [4] $\langle u, v \rangle = x_1 y_1 x_1 y_2 x_2 y_1 + 3x_2 y_2. \text{ Where, } u = (x_1, x_2) \text{ and } v = (y_1, y_2).$
 - b) Define subspace. Give one example. [3]
 - c) Prove that: $J'_n(x) = \frac{1}{2} [J_{n-1}(x) J_{n+1}(x)].$ [3]
- **Q5)** a) Using the Rodrigue's formula for Hermite's polynomials obtain the first three Hermite polynomials $H_0(x)$, $H_1(x)$ and $H_2(x)$. [4]
 - b) Let f(t) be continuous and have a piecewise continuous derivative f'(t) in every finite interval $0 \le t \le T$. Suppose also that f(t) is of exponential order for t > T. Then prove that: $L\{f'(t)\} = sL\{f(t)\} f(0)$. [3]
 - c) Discuss whether or not R³ is a subspace of R⁴. [3]

Q6) a) Find the Fourier transform of:

$$f(x) = 1, \quad |x| < a$$
$$f(x) = 0, \quad |x| > a$$

b) Prove that:
$$L_{n+1}(x) = 2(n+1-x)L_n(x) - n^2L_{n-1}(x)$$
. [3]

[4]

- c) Define Basis and Dimension of a vector space. Is dimension of a particular vector space unique? Explain. [3]
- **Q7)** a) Find $L^{-1}\left\{\frac{3s+1}{(s-1)(s^2+1)}\right\}$. [5]
 - b) Let $A = \begin{pmatrix} 1 & -3 & 3 \\ 3 & -5 & 3 \\ 6 & -6 & 4 \end{pmatrix}$. Find a (real) orthogonal matrix P for which P⁻¹AP is diagonal. [5]
- **Q8)** a) Let $A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$ and let T be the linear operator on R^2 defined by T(V) = AV (where V is written as a column vector). Find the matrix of T in each of the following bases: [5]
 - i) $\{e_1 = (1,0), e_2 = (0,1)\}$ i.e. usual basis;
 - ii) $\{f_1 = (1,3), f_2 = (2,5)\}$
 - b) State and prove the orthogonality property of Legendre polynomials.[5]



Total No. of	Questions	:	8]
--------------	-----------	---	----

SEAT No.:	
[Total	No. of Pages : 3

[5529]-1004

M.Sc.

PHYSICS

PHYUT-504 : Atoms and Molecules (2014 Pattern) (Semester-I) (4 Credits)

Time: 3 Hours] [Max. Marks: 50

Instructions to the candidates:

- 1) Solve any five questions.
- 2) Draw neat diagrams wherever necessary.
- 3) Figures to the right indicate full marks.
- 4) Use of logarithmic table and electronic pocket calculator is allowed.

Given:

Rest mass of electron = $9.10 \text{ g} \times 10^{-31} \text{ kg}$

Charge on electron= 1.602×10^{-19} coulombPlank's constant= 6.626×10^{-34} joule-secBoltzmann constant= 1.381×10^{-23} joule/ $^{\circ}$ kAvogadro's number= 6.023×10^{23} atoms/mole

 $lev = 1.602 \times 10^{-19} joule$

Bohr magneton $\mu_R = 9.274 \times 10^{-24}$ joule/tesla

- **Q1)** a) What is Paschen-Back effect. Explain Paschen-Back effect in case of sodium atom.
 - b) Write a note on vibrational analysis of band system. [3]
 - c) An electron is placed in a magnetic field of strength 1.3 T. Calculate the resonance frequency if g = 2.0023. [3]
- **Q2)** a) Write short note on vibrational course structure. [4]
 - b) Discuss about different applications of NMR. [3]
 - c) Calculate structure factor for BCC lattice and explain which Bragg's peaks will appear in diffraction pattern. [3]

	shift.	[4]
b)	What are Normal and Umklapp processes.	[3]
c)	Calculate the energy spacing between the components of the grostate energy level of hydrogen when split by a magnetic field of 1. What frequency of electromagnetic radiation could cause a transibetween these levels? What is the specific name given to this effect.	.0 T. ition
Q4) a)	Discuss the vibrational modes of one dimensional monoatomic li- lattice of identical atoms. Hence derive the dispersion relation.	near [4]
b)	State and explain Aufbau principle, Hand's rule and Pauli exclu principle for electron configurations.	sion [3]
c)	The value of x_e for lower and upper states of C_2 are 0.00711 and 0.00 respectively. Find the number of levels in the upper nad lower states	
Q5) a)	Explain spectrum of two electron atom by considering He atom.	[4]
b)	Explain hyperfine structure of ESR in case of hydrogen atom.	[3]
c)	The Debye temperature of diamond is 2230 k. Calculate the hig possible lattice vibrational frequency.	hest [3]
Q6) a)	Explain how the states of the single electron and many electron diator molecules are specified by calculating angular momentum.	omic [4]
b)	Explain relaxation process and its types in NMR.	[3]
c)	What is g factor? Calculate it for ${}^2f_{y_2}$ term.	[3]

Q3) a) What is chemical shift in NMR and hence give formulas for chemical

- What are different types of coupling schemes. Explain any one in detail. [5] **Q7)** a)
 - Explain Einstein model of lattice heat capacity. Derive expression for b) specific heat for the same model. [5]
- What are P, Q and R branches in the context of rotational fine structure **Q8)** a) of electronic vibrational transition. Hence, explain band origin and band [5] head. Draw necessary diagrams.
 - State the principle of ESR. Explain working of ESR spectrometer with b) the help of a block diagram. [5]



SEAT No.:	
[Total	No. of Pages : 2

[5529]-1005 M.Sc. PHYSICS

PHYUT 505: Experimental Techiques in Physics-I (2014 Pattern) (Semester -I) (4 Credits)

Time: 3	•	s:50
1) 2) 3) 4)	ons to the candidates: Attempt any five questions out of eight questions. Draw neat diagrams wherever necessary Figures to the right indicate full marks. Use of logarithimic table and calculator is allowed.	
Q1) a)	Explain auto and cross correlation functions.	[4]
b)	Explain the various ranges of vacuum.	[3]
c)	Explain the pumping speed of a vacuum pump.	[3]
Q2) a)	With neat diagram explain the working of hot-cathode ionization (tr type) guage.	riode [4]
b)	Explain the principle of sputter ion pump.	[3]
c)	Explain construction and working of Mc Leod guage.	[3]
Q3) a)	With neat diagram, explain principle and working of rotary pump.	[4]
b)	Describe the various types of errors in brief.	[3]
c)	Calculate the pumpdown time to reduce the pressure 760 Torr to Torr if the volume of the chamber is 10 litre and pump spec 50 lit/min.	
Q4) a)	What is throtting process? Prove that entropy remains constant throttling process.	in a

	b)	Write the pressure ranges of following vacuum pumps in Torr:	[3]
		i) Diffusion	
		ii) Molecular drag	
		iii) Sputter ion	
	c)	Explain the term Spectral Analysis.	[3]
Q 5)	a)	With neat diagram, explain Bayard-Alpert guage.	[4]
	b)	Calculate the mean free path of air at ambient temperature with pressure 10×10^{-3} Torr.	re [3]
	c)	Write note on periodic and random signals.	[3]
Q6)	a)	Explain the vacuum system design with the help of schematic diagram	n. [4]
	b)	With the help of neat diagram, explain the principle of diffusion pump). [3]
	c)	Determine the average value for the function $y(t) = 30+2\sin 6\pi$. to over the time period 0 to 0.1 sec.	he [3]
Q7)	a)	With the help of neat diagram, explain the construction of optical tweeze	rs. [5]
	b)	With the help of neat diagram, explain the principle and working molecular drag pump.	of [5]
Q8)	a)	With neat diagram, explain the principle and working of penning guag	e. [5]
	b)	Explain different flow regimes for gases. Also differentiate between the	m. [5]

Total No. of	Questions	:	8]
--------------	-----------	---	----

SEAT No.:	
-----------	--

[5529]-101 M.Sc.

[Total No. of Pages : 2

	PHYSICS	
	PHYUT-501: Classical Mechanics	
	(2013 Pattern) (Semester - I) (Credit System) (5 Credits)	
Time : 3	Hours] [Max. Mark.	s : 50
Instruct	tions to the candidates:	
1) 2) 3)	Attempt any five questions out of eight questions. Neat diagrams must be drawn wherever necessary. Figures to the right indicate full marks.	
4)	Use of logarithmic tables & electronic calculator is allowed.	
Q1) a)	Solve the problem of one dimensional harmonic oscillator by Hamiltonian of motion.	ton's [4]
b)	Draw configuration space & phase space for simple pendulum oscilla in x - y plane.	iting [3]
c)	Show that $[Cq, Dp] = CD[q, p]$, Where C & D are constants.	[3]
Q2) a)	Give the classification of constraints.	[4]
b)	State and prove Poisson's first theorem.	[3]
c)	Show that areal velocity of planet moving around the sun remain cons	tant. [3]
Q3) a)	Explain how a two body problem can be reduced to an equivalent body problem.	one [4]
b)	Show that $P = q \cot p \& Q = \log \frac{\sin p}{q}$ is canonical.	[3]
c)	Calculate the reduced mass of H ₂ molecule.	[3]
Q4) a)	Show that the function $F = -\sum Q_i P_i$ generates identity transformation	1.[4]
b)	Show that $[x_i, p_j] = \delta_{ij}$.	[3]
c)	Explain the effect of Coriolis force on different terrestrial phenomer	non.

P.T.O.

[3]

- Solve the projectile motion problem by Lagrange's equation of motion. **Q5)** a) Calculate the period of rotation of plane of oscillation of Foucault's b) [3] pendulum at **Poles** ii) equator. i) Prove that momentum corresponding to cyclic coordinate is a constant c) of motion. [3] Show that isotropy of space leads to conservation of angular momentum. **Q6)** a) [4] Define Central force. State & prove any two properties of central force. b) [3] [3] State and prove Virial theorem. c) Show that geodesics of a sphere is a great circle. [5] **Q7)** a) Show that Lagrange's equations of motion are invariant under Galilean b) transformation. [5]
- **Q8)** a) The transformation

$$Q=q^{\alpha}\cos\beta p$$
, $P=q^{\alpha}\sin\beta p$ is canonical if $\alpha=\frac{1}{2}$ & $\beta=2$. [5]

[5]

b) State and prove total energy theorem.



Total No. of	Questions	:8]
--------------	-----------	-----

$\mathbf{D}^{\mathbf{A}}$	777
ν	/ 🔦 /

SEAT No.:	
-----------	--

[Total No. of Pages :2

[5529]-102 M.Sc. PHYSICS

PHVIIT502 · Flootroni

		PHYUT502: Electronics
		(2013Pattern) (Semester - I) (5 Credits)
		Hours] [Max. Marks : 50
Inst		ons to the candidates:
	1)	Solve any <u>FIVE</u> questions out of the following eight questions.
	<i>2) 3)</i>	Neat diagrams must be drawn wherever necessary.
	<i>3) 4)</i>	Figures to the right indicate full marks. Use of calculators is allowed.
	7)	ose of eneminors is unowen.
Q 1)	a)	How can you use OPAMP as a voltage subtractor? Derive expression
•	,	for its output voltage? [4]
	b)	Draw internal block diagram of IC 723. Explain function of each block. [3]
	c)	Draw circuit diagram of 3-bit shift left register explain its working how it
	,	can be used with shift right facility. [3]
Q2)	a)	Draw circuit diagram of precision full-wave rectifier. Explain its working. [4]
	b)	What is PLL? Draw its block diagram Explain its working. Define the
		terms lock range and capture range. [3]
	c)	Design a logic circuit to implement following expression
		$Y = \sum (0,1,2,4,5,7,8,9,11,13,14)$ [3]
Q 3)	a)	Draw circuit diagram of MOD-7 counter with and without additional logic gates using IC 7490. Prepare its truthtable and explain its working.[4]
	b)	Design a wide band-pass filter for $f_L = 1$ KHz and $f_h = 5$ KHz What will be its order and quality factor Q? [3]
	c)	Explain the concept of DC-DC converter. [3]
Q 4)	a)	With internal block diagram of IC 555, Explain its operation as monostable multivibrator. [4]
	b)	Draw circuit diagram for binary weighted type DAC. Derirve expression for its output voltage. [3]
	c)	Design a voltage regulator to produce volt = 10v using IC LM 317. [3]

Q5)	a)	Draw block diagram of synchronous MOD-8 counter. Explain its operation. [4]
	b)	Design monostable multivibrator using OPAMP to generate a pulse of 5 msec duration. [3]
	c)	Write a comparative note on precision and fixed voltage regulator. [3]
Q6)	a)	Explain the technique of successive approximation type ADC. State its advantages. [4]
	b)	Draw circuit diagram of I st order high pass filter. Derive expression for its transfer function. [3]
	c)	Design a logic circuit to generate even parity bit for a 4-bit BCD input.[3]
Q7)	a)	Draw circuit diagram of two OPAMP function generator with all variable controls. Explain its working and derive formula for its output frequency. [5]
	b)	Draw circuit diagram of 4-bit synchronous UP/DOWN counter Explain its operation. [5]
Q8)	a)	Design circuit for 2-bit flash ADC. Explain its operation state its advantages & disadvantages. [5]
	b)	Draw circuit diagram of astable multivibrator using OPAMP. Explain its working How can you modify it as monostable multivibrator? [5]

Total No.	of Questions	: 8]
-----------	--------------	------

lotal	No.	of (Luesti	ons:	8]	

SEAT No.:	SEAT No.:	
-----------	-----------	--

[Total No. of Pages: 3

[5529]-103

M.Sc.

PHYSICS

PHY UT-503: Mathematical Methods in Physics (2013 Pattern) (Semester-I) (5 Credits) (Credit System)

Time: 3 Hours] [Max. Marks: 50

Instructions to the candidates:

- Attempt ANY FIVE questions. 1)
- 2) Draw neat diagrams wherever necessary.
- 3) Figures to the right indicate full marks.
- Use of logarithmic table and calculator is allowed. 4)
- Define Basis and Dimension of a vector space. Explain with one example. **Q1)** a)

[4]

Determine the residue of b)

[3]

$$\frac{ze^{zt}}{(z-3)^2} \text{ at } z=3.$$

Obtain the associated Legendre function $P_2^1(x)$. c)

[3]

- State Residue theorem. Explain how the Cauchy's theorem and integral **Q2)** a) formulas are special cases of residue theorem.
 - Find the Fourier coefficients a_n and b_n in the interval (-L, +L) for even b) function. [3]
 - Find the dimension of the vector space spanned by: [3] c)
 - (1, -2, 3, -1) and (1, 1, -2, 3)
 - $t^3 2t^2 + 5$ and $t^2 + 3t 4$ ii)
 - 3 and -3iii)

- **Q3)** a) State and prove Cauchy-Schwarz inequality. [4]
 - b) Determine whether *u* and *v* are linearly dependent where: [3]
 - i) u = (1,2,3,4) and v = (4,3,2,1)
 - ii) u = (0,1) and v = (0,-3)
 - iii) $u = t^3 + 3t + 4$ and $v = t^3 + 4t + 3$
 - c) Evaluate $\oint_C \frac{\cos z}{(z-\pi)} dz$ where C is the circle |z-1| = 3. [3]
- Q4) a) Consider the following basis of Euclidean space R³: [4]

$$\{v_1 = (1,1,1), v_2 = (0,1,1), v_3 = (0,0,1)\}.$$

By using Gram-Smidt orthogonalization process transform $\{v_i\}$ into an orthonormal basis $\{u_i\}$.

- b) Let $V = R^3$. Show that W is a subspace of V, where $W = \{(a,b,0): a,b \in R\}$. [3]
- c) Prove that: $H_{n+1}(x) = 2x H_n(x) 2n H_{n-1}(x)$. [3]
- **Q5)** a) Determine the first three Legendre polynomials $P_0(x)$, $P_1(x)$ and $P_2(x)$.[4]
 - b) State and prove Cauchy Riemann equations for a function to be analytic.

 [3]
 - c) Let f(t) be continuous and have a piecewise continuous derivative f'(t) in every finite interval $0 \le t \le T$. Suppose also that f(t) is of exponential order for t > T. Then prove that: $L\{f'(t)\} = sL\{f(t)\} f(0)$. [3]

Q6) a) Prove that if $L\{f(t)\} = F(s)$ then $L\{e^{at}f(t)\} = F(s-a)$. [4]

b) Prove that:
$$J_{n+1}(x) = \frac{2n}{x} J_n(x) - J_{n-1}(x)$$
. [3]

- c) Discuss whether or not R³ is a subspace of R⁴. [3]
- **Q7)** a) Let $A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$ and let T be the linear operator defined by T(V)=AV (where V is written as a column vector). Find the matrix of T in each of the following bases:
 - i) $\{e_1 = (1,0), e_2 = (0,1)\}$ i.e. usual basis;
 - ii) $\{f_1 = (1,3), f_2 = (2,5)\}$
 - b) State and prove the orthogonality property of Hermite functions. [5]

Q8) a) Find L⁻¹
$$\left\{ \frac{5s^2 - 15s + 7}{(s+1)(s-2)^3} \right\}$$
. [5]

b) Diagonalize the following matrix:
$$A = \begin{pmatrix} 2 & -2 \\ -2 & 5 \end{pmatrix}$$
. [5]

 \rightarrow \rightarrow \rightarrow

Total No. of Questions : 8]		SEAT No. :
P2739	[5529]-104	[Total No. of Pages : 2
	M.Sc.	
DIN /II/I	PHYSICS	1 T
	7-504 : Atoms, Molecules	
(2013	Pattern) (Semester-I) (5 Credits)
Time: 3 Hours]		[Max. Marks : 50
Instructions to the candida	ates:	į
1) Solve any five que	estions.	
2) Draw neat diagra	ms wherever necessary.	
3) Figures to the rig	ght indicate full marks.	
4) Use of logarithm	ic table and electronic pocket co	alculator is allowed.
Given:		
Rest mass of electron	$= 9.901 \times 10^{-31} kg$	
Charge on electron	$= 1.6021 \times 10^{-19} coulomb$	
Plank's constant	$= 6.626 \times 10^{-34} Js$	
Boltzmann constant	$= 1.38054 \times 10^{-23} Jk^{-1}$	
Avogadro's number	$= 9.27 \times 10^{-24} amp - m^2$	
lev	$= 1.6021 \times 10^{-19} J$	
01)) 5:	1 1: 600	T
Q1) a) Discuss const	ruction and working of CO ₂	Laser. [4]
b) What is Lando	e g factor? Calculate Lande	g factor for ³ D ₃ state. [3]
,	0	o j
c) What is γ''	progration? Why transitio	ns of γ'' progration are of
considerable in		[3]
	•	()
Q2) a) Find the mining	num magentic field needed for	r Zeeman effect to be observed
	_	when a spectrometer whose

[4]

[3]

[3]

P.T.O.

resolution is 0.010 nm is used.

b)

c)

Explain four level pumping with its merits.

Write note on vibrational coarse structure.

Q3)	a)	Discuss the application of Laser in industry.	[4]
	b)	Explain normal Zeeman effect. Derive the formula for change in frequent $\Delta \gamma$.	ncy [3]
	c)	What is ESR? Draw block diagram of ESR spectrometer to explain working.	its [3]
Q4)	a)	State and explain Frank-Condon principle.	[4]
	b)	State Pauli's exclusion principle. Explain with suitable example.	[3]
	c)	Discuss the anamolous Zeeman effect.	[3]
Q5)	a)	The value of X_e for lower and upper states of C_2 are 0.0071 and 0.009 respectively. Find number of levels in upper & lower states.	19 [4]
	b)	What is Holography? How it differs from photography?	[3]
	c)	Explain band origin and band head in the rotational fine structure vibrational spectra.	of [3]
Q6)	a)	Explain Pashen-Back effect for 2S-2P transition.	[4]
	b)	Derive the formula for $\Delta \lambda$ in case of Zeeman effect.	[3]
	c)	State the properties of laser light.	[3]
Q 7)	a)	Deduce the Einstein Relations for Laser processes.	[5]
	b)	What is NMR? Draw block diagram of NMR to explain its working.	[5]
Q8)	a)	What is divergence? Explain the divirance of Laser beam.	[5]
	b)	Calculate the ratio of spontaneous emission to stimulated emission wavelength of radiation is 440 nm at 2000 k.	if [5]



Total No. of Questions: 8	3]
----------------------------------	----

SEAT No.:	
-----------	--

[Total No. of Pages: 2

P2749

[5529]-2001 **M.Sc.** - I

PHYSICS

PHYUT-601: Electrodynamics (2014 Pattern) (Semester - II) (New Pattern) (4 Credits)

Time: 3 Hours] [Max. Marks: 50

Instructions to the candidates:

- Attempt any five questions from the following.
- *2*) Draw neat labelled diagrams wherever necessary.
- 3) Figures to the right indicate full marks.
- All questions carry equal marks.
- Use of logarithmic tables & electronic calculator is allowed. *5*)
- Derive the expression for potential at a distinct point using multiple **Q1)** a) expansion for a localised charged distribution in free space. [4]
 - For a given e.m. wave b)

[3]

$$\vec{E} = \hat{i} E_0 \cos w \left(\sqrt{ru} \cdot z - t \right) + \hat{j} E_0 \sin w \left(\sqrt{ru} \cdot z - t \right),$$

Find the corresponding magnetic field if E_0 is constant.

Write and explain Lorentz's and Coulomb's conditions. c)

[3]

- **Q2)** a) Derive in homogeneous wave equation in terms of scalar potential ϕ and vector potential A. [4]
 - Find the ratio of skin depth in copper at 4 KHz to 400 MHz. b) [3]
 - Two identical bodies move towards each other with the speed of each c) being 0.9C. What is their speed relative to each other? [3]
- A plane e.m. wave is propogating through a stationary medium. Assuming **Q3)** a) the solution of wave, show that it satisfies the relation $CB_z = E_v$. [4]
 - Write the Maxwell equation in differential and integral form. b) [3]
 - An electron moving speed of 1.8×10^8 m/s. Find the ratio of its effective c) mass to its rest mass. [3]

- **Q4)** a) Explain Hertz potential. Show that the magnetic field can be expressed as $\vec{B} = \frac{1}{C^2} \frac{\partial}{\partial t} (\vec{\nabla} \times \vec{Z})$. [4]
 - b) Explain the term skin effect and skin depth. [3]
 - c) Explain the term 'momentum space' with the help of suitable example. [3]
- **Q5)** a) Derive Faraday's law of induction for moving medium. [4]
 - b) Explain the term Vacuum displacement current. [3]
 - c) Write the boundary conditions at the interface of dielectric and explain them. [3]
- **Q6)** a) Prove relativistic addition theorem for velocity and show that any velocity added relativistically to 'C' gives resultant velocity 'V'. [4]
 - b) Derive the wave equation for e.m. waves in conducting medium. Hence explain its significance. [3]
 - c) Explain Minkowski's space time diagram. [3]
- Q7) a) With neat suitable diagram, explain the magnetic interaction between two current loops.[5]
 - b) Draw a neat labelled diagram of Michelson-Mosley experiment. Hence obtain the formula for fringe shift. [5]
- **Q8)** a) If the average distance between the sun and earth is 1.5×10^{11} m. Find the average solar energy incident on the earth.

Given:
$$P = 3.8 \times 10^{26} \text{ Watts.}$$
 [5]

b) Derive the Lorentz relativistic transformation equations. [5]



Total No.	of Questions	:	8]	
-----------	--------------	---	----	--

SEAT No.:	SEAT No.:	
-----------	-----------	--

[Total No. of Pages: 2

P2751

[5529]-2003 M.Sc. - I PHYSICS

PHY UT - 603 : Quantum Mechanics - I (2014 Pattern) (Semester - II) (4 - Credits)

Time: 3 Hours] [Max. Marks: 50

Instructions to the candidates:

- 1) Attempt any five questions out of eight questions.
- 2) Neat diagrams must be drawn wherever necessary.
- 3) Figures to the right indicate full marks.
- 4) Use of calculators is allowed.
- **Q1)** a) Define adjoint of an operator A. Show that $(A^+)^+ = A$. Define self adjoint operator.
 - b) Prove that $[L_x, L_y] = i h L_z$ and $[L^2, L_x] = 0$. [3]
 - c) State the fundamental postulates of quantum mechanics. [3]
- Q2) a) Define projection operator. Show that sum of all projection operators leaves any vector state $|\psi\rangle$ unchanged. [4]
 - b) State the requirements on wave function tobe an acceptable wave function. [3]
 - c) Work out the eigen values and eigen functions for the matrix

$$\mathbf{H} = \begin{bmatrix} 1 + \varepsilon & \varepsilon \\ \varepsilon & 1 + \varepsilon \end{bmatrix}.$$
 [3]

- Q3) a) Using the WKB approximation, calculate the energy of harmonic oscillator. [4]
 - b) Using time independent non-degenerate perturbation theory, show that first order correction to the energy in $E_n = \langle n|H^1|n\rangle$. [3]
 - c) Show that Pauli spin matrices satisfy the commutation relation $[\sigma^2, \sigma_z] = 0.$ [3]

P.T.O.

- **Q4)** a) Define operators a and a⁺. Show that for harmonic oscillator, $H = \left(a^{+}a + \frac{1}{2}\right)hw.$
 - b) Calculate the first order correction to ground state energy of harmonic oscillator with perturbation $H^1 = \lambda x^4$. [3]
 - c) What is unitary operator? Show that the norm of any state $|\psi\rangle$ does not change under unitary transformation. [3]
- **Q5)** a) A linear operator $\hat{\mathbf{F}}$ takes on a vector $|\psi\rangle$ as $\hat{\mathbf{F}}|\psi\rangle = \langle \chi|$. Represent $\hat{\mathbf{F}}$ as matrix elements in A-representation. [4]
 - b) Obtain matrices J_x and J_y for j = 1/2. [3]
 - c) Explain complete and closure property. [3]
- **Q6)** a) Using first excited state of harmonic oscillator, show that energy of harmonic oscillator is $\frac{3}{2}hw$. [4]
 - b) Obtain eigen function and eigen value of momentum operator. [3]
 - c) Normalize the wave function $\psi(x) = A e^{-x^2/2a^{+ikx}}$ in the range $-\infty < x < \infty$.
- **Q7)** a) Using trial wave function $\psi(x) = A e^{-\alpha x^2}$ in the range $-\infty$ to $+\infty$ obtain ground state energy of harmonic oscillator using variational method. [5]
 - b) Develop the time dependent perturbation theory to obtain first order correction to transition amplitude $a_m^{(1)}(t)$. [5]
- **Q8)** a) Using expansion postulate, show that eigen functions belonging to discrete eigen values are normalizable. [5]
 - b) Discuss matrix representation of J in $|jm\rangle$ basis. [5]

HHH

Total No.	of Questions	: 8]
-----------	--------------	------

SEAT No.:			
[Total	No. of Pages	:	2

[5529]-2004 M.Sc. - I PHYSICS

	PHYUT - 604 : Lasers	
	(2014 Course) (Semester - II) (4-Credits)	
Time: 3	Hours] [Max. Mo	ırks : 50
	ions to the candidates:	
1) 2)	Solve any five questions out of EIGHT questions. Neat diagrams must be drawn wherever necessary.	
<i>3)</i>	Figures to the right indicate full marks.	
4)	Use of calculator is allowed.	
Q1) a)	What do you mean by population inversion? How it is achie practice?	eved in [4]
b)	What is an optical resonator? Define Q-factor for such a resonat	or. [3]
c)	A laser beam has a width of 3 kHz. What will be the coherence tip coherence length.	me and [3]
Q2) a)	Explain in detail the principle and operation of excimer laser. S two applications.	tate its [4]
b)	Derive the relation between Einstein coefficients.	[3]
c)	State the functions of each part of the optical resonator.	[3]
Q3) a)	Explain the principle, construction and working of He-Ne laser.	[4]
b)	Explain in brief metastable state.	[3]
c)	Explain the conditions for large stimulated emissions.	[3]
Q4) a)	Write detail note on Nd-YA-G-laser.	[4]
b)	Explain in brief various geometries of resonating cavities used it construction.	in laser [3]
c)	Discuss applications of lasers in material processing.	[3]

- **Q5)** a) Explain in detail the construction, principle and working of ruby laser with reference to energy level diagram. [4] A He-Ne laser produces wavelength of 6328 Å with beam waist of 0.5 b) mm. Calculate divergence angle in radians. [3] State various types of line broadening associated with laser beam. Explain c) any one type in details. [3] Explain the principle and working of semiconductor diode laser. **Q6)** a) [4] b) A gaseous medium gives a laser beam at infra-red wavelength of 3.5μ m. Calculate the difference of energy between upper and lower level. [3] Explain the use of laser in barcode scanner. c) [3] Explain four level laser system with energy level diagram. Why it is more **Q7)** a) efficient with other systems. [5] Find the relative population inversion of the two states in ruby laser that b) produces a light beam of wavelength 6943 Å at 300K and 500K. [5]
- Q8) a) Explain the principle and operation of dye laser. How dye lasers are tuned to required frequencies. [5]
 - b) State the applications of laser and explain the medical application in details. [5]

Total No.	of Questions	: 8]
-----------	--------------	------

[Total No. of Pages: 2

P2753

[5529]-2005 M.Sc. - I PHYSICS

PHYSICS PHY UT - 605: Experimental Techniques in Physics - II (2014 Pattern) (Semester - II) (4 Credit Based System)

Time: 3 Hours] [Max. Marks: 50

Instructions to the candidates:

- 1) Attempt any five questions.
- 2) Draw neat diagrams wherever necessary.
- 3) Figures to the right indicate full marks.
- 4) Use of logarithmic table and calculator is allowed.

Constants:

- 1) Boltzmann constant : $K_B = 1.38 \times 10^{-23} \text{ J/K}$
- 2) Plank's constant : $h = 6.63 \times 10^{-34} \text{ Js}$
- 3) Avagadrols number : $N = 6.02 \times 10^{23}$ /gm mole
- 4) Mass of electron : $Me = 9.1 \times 10^{-31} \text{ kg}$
- 5) Charge of electron : $e = 1.6 \times 10^{-19} \text{ C}$
- 6) Velocity of light : $C = 3 \times 10^8 \text{ m/s}$
- Q1) a) Write short note on vibrating sample magnetometer (VSM). [4]
 - b) Explain the principle of diffused reflectance spectroscopy. [3]
 - c) Write short note on production of x-rays. [3]
- Q2) a) Write short note on Laue's method. [4]
 - b) Write short note on optical sensors. [3]
 - c) Explain construction and working of scanning tunneling microscope (STM). [3]
- Q3) a) Explain the principle, construction and working of Fourier transform infra-red spectrometer (FTIR).[4]
 - b) Explain the operating principle of thermal sensors with example. [3]
 - c) Write short note on X-ray diffraction. [3]

Q 4)	a)	Draw diagram of field emission scanning electron microscope and explaeach part in brief.	iin [4]
	b)	Explain principle, construction and working of UV-visible spectromet	er.
			3]
	c)	What is X-ray photoelectron spectroscopy?	3]
Q 5)	a)	Explain the characteristics of sensors.	4]
	b)	What is selected area electron diffraction (SAED).	3]
	c)		3]
Q6)	a)	Explain principle and working of X-ray detector.	4]
	b)	State the limitations of scanning electron microscope over the transmissi	on
	,		3]
	c)	Explain principle, construction and working of optical microscope.	3]
Q7)	a)	Derive scherrer relation to determine the crystallite size of nanoparticle.	5]
- /	b)	With neat labelled diagram explain principle, construction and working	ng
	,		5]
Q8)	a)	What is nuclear magnetic resonance? Explain in detail with neat labell diagram.	ed [5]
	b)	•	5]
	-	[Given: Wavelength of CuK = 154mm, Interplanar distance = 0.3nm]	_

Total No. of Questions: 8]		SEAT No. :
P2740	[5520] 201	[Total No. of Pages : 2

[5529]-201 M.Sc. PHYSICS

	ritisics	
	PHYUT-601: Electrodynamics	
	(2013 Pattern) (Semester - II) (5 Credits)	
Time: 3	Hours] [Max.	Marks: 50
Instruct	ions to candidates:	
1)	Attempt any five questions from the following.	
2)	Draw neat & labelled diagrams wherever necessary.	
3)	Figures to the right indicate full marks.	
<i>4) 5)</i>	All questions carry equal marks. Use of log table & calculator is allowed.	
Q1) a)	Show that in a good conductor the magnetic field lags the election by 45°.	ctric field [4]
b)	If an electromagnetic wave of intensity 1.5×10^2 W/m ² . Strikes reflector, what pressure does it exert?	a perfect [3]
c)	Show that $(E^2 - C^2B^2)$ is Lorentz invariant.	[3]
Q2) a)	Derive an expression for electric energy density.	[4]
b)	Why Anpere's law was modified by Maxwell?	[3]
c)	Find the rest-mass energy of an electron in eV if its r 9.1×10^{-28} gm.	est-mass [3]
Q3) a)	Explain the term 'four vector potential'.	[4]
b)	Determine the velocity at which the mass of a particle is 8 time mass.	es its rest-
c)	Obtain an expression for Lorentz force on a charged particle.	[3]
Q4) a)	State poynting theorem. Explain the physical significance of vector. Give it's dimensions.	poynting [4]
b)	Describe 'Thomson cross-section' related to the radiation emis	ssion. [3]
c)	Explain the significance of Maxwell's equations.	[3]

- **Q5)** a) Show that for an electromagnetic wave travelling through air \overline{E} , \overline{B} & \overline{K} are mutually perpendicular. [4]
 - b) Explain the magnetic interaction between two current loops. [3]
 - c) State integral forms of Maxwell's equations & give their physical significance. [3]
- **Q6)** a) Show that the ratio of electrostatic & magnetic energy densities is unity. [4]
 - b) Show that $x^2 + y^2 + z^2 c^2 + 2$ is invarient under Lorentz transformation. [3]
 - c) Find the ratio of skin depth in copper at 100 kHz to 100 MHz. [3]
- Q7) a) Obtain an expression for potential at a distant point using multipole expansion for a localised charge distribution in free space. [5]
 - b) Describe Michelson-Morley experiment with a neat ray diagram. Give the significance of negative result. [5]
- Q8) a) Two equal & opposite charges are separated by distance 'd'. If the dipole oscillates at frequency W. Obtain an expression for power radiated by the given system.[5]
 - b) Obtain an expression for the electromagnetic field tensor $F_{\mu\gamma}$ & hence obtain $G_{\mu\gamma}.$



Total N	o. of Questions : 8]	SEAT No. :
P274	[5529]-203	[Total No. of Pages : 2
	M.Sc I	
	PHYSICS	
		hniques in Dhysies
	PHY UT - 603: Experimental Tec	•
	(2013 Pattern) (Semester - I	1) (5 - Creatt)
Time: 3	Hours]	[Max. Marks : 50
Instruct	ions to the candidates:	
1)	Attempt any five questions.	
2)	Figures to the right side indicate full marks.	
3)	Draw neat diagrams wherever necessary.	
4)	Use of logarithmic table and electronic calcu	lator is allowed.
Co	$\frac{\text{nstants}}{\text{nstants}}: i) \text{Boltzmann constant } K_{\text{B}} = 1.38 \times 10^{-10}$	10^{-23}J/K
	ii) Planck's constant $h = 6.63 \times 10^{-1}$	
	iii) Avagadros number $N = 6.023 \times$	· · · · · ·
	vi) Mass of electron, Me = 9.1×10^{-10}	_
	v) Velocity of light, $C = 3 \times 10^8 \text{ m/s}$	
	vi) Charge of electron, $e = 1.6 \times 10$	
Q1) a)	Calculate the average nanoparticle size	using scherrer formula.
	(Given: Wavelength used for diffraction	
	at Half Maxima $\beta = 0.05$, $\theta_{\rm p} = 45^{\circ}$)	[4]
b)	В	
c)		
C)	Explain the spectral Alialysis of signals	. [સ્
Q2) a)	Explain the principle and working of X	PS. [4]
b)		

Write the short note on vacuum measurement.

c)

- b) Write short note on time and frequency domain analysis. [3]
- c) In electron microscopy, calculate the wavelength in nm if the applied voltage is 70kV. [3]

[3]

Q4)	a)	Write the electromagnetic radiation with their wavelength range corresponding energies.	e and [4]
	b)	Describe the various types of errors in brief.	[3]
	c)	What is meant by mean free path? Calculate the mean free path for ambient temperature with pressure 10×10^{-6} Torr.	air at
Q5)	a)	Explain principle, construction and working of AFM.	[4]
	b)	Write short note on field applications of vacuum.	[3]
	c)	Write short note on auto and cross correction functions.	[3]
Q6)	a)	Explain the principle, construction and working of FTIR.	[4]
	b)	Write a short note on microwave generator.	[3]
	c)	Write a short note XRD techniques.	[3]
Q 7)	a)	What are different operating principles used in sensors? Explain suitable examples.	with [5]
	b)	Explain the principle, construction and working of STM.	[5]
Q 8)	a)	Explain principle and working of optical tweezers, with its applications.	their [5]
	b)	Explain the principle and working of UV visible spectrometer.	[5]

Total No.	of Questions	:	8]
-----------	--------------	---	----

estions: 8]	SEAT No.:
-------------	-----------

[Total No. of Pages: 2

[5529]-204 M.Sc. PHYSICS

PHYUT-604 : Quantum Mechanics - I (2013 Pattern) (Semester-II) (5 Credits)

Time: 3 Hours [Max. Marks: 50

Instructions to the candidates:

- 1) Attempt any five out of eight questions.
- 2) Neat diagrams must be drawn wherever necessary.
- 3) Figures to the right indicate full marks.
- 4) Use of logarithmic tables and electronic calculator is allowed.
- Q1) a) Describe a square potential barrier of height V_0 . For a particle with energy $E < V_0$, write down Schrodinger equation for three regions. Discuss qualitatively how this leads to tunneling effect. [4]
 - b) Write a note on Dirac's Bra and ket vectors. Include norm and scalar product of these vectors. Represent ket vectors as column matrices and express a dynamical variable F as a matrix operator. [3]
 - c) Prove that $[L_+, L_-] = 2\hbar L_Z$. [3]
- **Q2)** a) Define projection operator. Show that the sum of all the projection operators leaves any state vector unchanged. [4]
 - b) What is spin angular momentum? (i) State commutation relations satisfied by σ_x , σ_y and σ_z . (ii) Write down eigen-value equations for simultaneous eigen states $|S, m_s\rangle$ of S^2 and S_z . [3]
 - c) Consider one dimensional harmonic oscillator with anharmonic perturbation λx^4 . Find first order correction to the ground state energy level using perturbation theory. [3]

- **Q3)** a) Angular momentum operators J_+ and J_- are defined by $J_+ = J_x + iJ_y$ and $J_- = J_x iJ_y$. Show that $J_{\pm} | j, m \rangle = \sqrt{j(j+1) m(m\pm 1)} h | j, m\pm 1 \rangle$. [4]
 - b) Using perturbation method explain Zeeman effect. [3]
 - c) Using WKB method obtain transmission coefficient for α -particle. [3]
- **Q4)** a) Explain principle of variation method. Show that the variation method gives an upper bound to the ground state energy. [4]
 - b) State connection formulae for WKB approximation. [3]
 - c) Using uncertainty principle, estimate the size of hydrogen atom in the ground state. [3]
- Q5) a) What is harmonic perturbation? Calculate transition probability per unit radiation of intensity of a harmonic perturbation. [4]
 - b) Give physical significance of eigen values, eigen functions and expansion coefficients. [3]
 - c) Prove that $(\hat{A} + \hat{A})^{\dagger}$ and $i(\hat{A} \hat{A})^{\dagger}$ are Hermitian for any operator \hat{A} .[3]
- **Q6)** a) State and explain four postulates of quantum mechanics. [4]
 - b) Compare Dirac δ and Kroneker δ functions-Represent Dirac δ function graphically. [3]
 - c) For $j = \frac{1}{2}$, obtain matrices of J_z and J^2 . [3]
- Q7) a) What is unitary transformation? By using it, explain the transformation of one complete orthonormal set of basis to other basis.[5]
 - b) Obtain eigen-value spectrum of J^2 and J_Z by using operators. [5]
- **Q8)** a) Develope time dependent perturbation theory to obtain first order correction to amplitude $a_f^{(1)}(t)$. [5]
 - b) Discuss WKB approximation and explain the conditions for its validity.[5]



Total No. of Questions: 8		
----------------------------------	--	--

SEAT No.:	
-----------	--

[5529]-3001 M.Sc. PHYSICS

[Total No. of Pages : 3

PHY-UT-701 : Statistical Mechanics in Physics (2014 Pattern - 4 Credits) (Semester - III) (Credit System)

Time: 3 Hours] [Max. Marks: 50

Instructions to the candidates:

- 1) Attempt any five questions out of eight questions.
- 2) Draw neat diagram wherever necessary.
- 3) Figures to the right indicate full marks.
- 4) Use of logarithmic tables and calculator is allowed.

Constants:

- $K_{\rm p} = 1.38 \times 10^{-23} \text{ J/K}$ 1) Boltzmann constant $h = 6.623 \times 10^{-34} \text{ J.sec.}$ 2) Planck's constant $N = 6.023 \times 10^{23} / \text{gm-mole}$ 3) Avogadro's number $Me = 9.1 \times 10^{-31} \text{ Kg}.$ 4) Mass of electron $C = 3 \times 10^8 \text{ m/s}$ Velocity of light 5) $e = 1.6 \times 10^{-19} \text{ C}$ Charge on electron 6)
- Q1) a) Explain, Boltzmann limit of Boson and Fermi gases. [4]
 - b) Define the terms: [3]
 - i) Phase space.
 - ii) Phase point.
 - iii) Phase path.
 - c) A system with just two energy levels in thermal equilibrium with a heat reservoir at temperature 600°K. The energy gap between the level is 0.1 eV. Find the probability that the system is in higher energy level. [3]
- Q2) a) Discuss the distribution of energy between two systems in thermal contact and obtain the condition at thermal equilibrium.[4]
 - b) Using canonical ensemble, show that the pressure $\bar{P} = \frac{1}{\beta} \frac{\partial \ln Z}{\partial V}$. [3]
 - c) Determine whether the electron gas in copper at room temperature is degenerate or non-degenerate.

Concentration of electron in copper =
$$8.5 \times 10^{28}$$
 m⁻³. [3]

P.T.O.

Write a note on White-Dwarf. [4]
'The Gibb's paradox is resolved only within the framework of quantum mechanics'. Comment. [3]
On the basis of canonical distribution, obtain the law of atmosphere.[3]
State the partition for B - E statistics and obtain B - E distribution in the form $\overline{n_s} = \frac{1}{e^{\beta(\epsilon_s - \mu)}}$
Where, μ is chemical potential. [4]
Write the assumption of Debye model. Hence calculate γ_D^3 where γ is Debye cut-off frequency. [3]
State the equipartition theorem. Hence find out mean energy for solid consisting of N molecules. [3]
Show the energy in canonical ensemble can be represented as $S=-K\sum P_r \ln P_r$. [4]
Calculate the mean values \overline{E} and $\overline{E^2}$ for canonical ensemble in terms of partition function. [3]
Write the postulates of equal priori probability. [3]
Show that, Maxwell distribution of speed is given by - [4]
$F(v) dv = 4\pi n \left[\frac{m}{2\pi kT} \right]^{3/2} v^3 e^{-\frac{mv^2}{2kT}} dv.$
A damped harmonic oscillator is described by equation
$m\frac{d^2x}{dt^2} + R\frac{dx}{dt} + KS = 0.$
Determine the phase trajectory of the oscillator. [3]
Prove any two Maxwell's relations of thermodynamics. [3]

State and prove Liouville's theorem. **Q7)** a)

[5]

- Obtain an expression for vibrational specific heat of constant volume for b) a diatomic volume.
- Show that the Fermi energy of fermions is **Q8)** a)

[5]

$$\epsilon_{\mathrm{F}} = \frac{\hbar^2}{2m} \left[\frac{3\pi^2 \mathrm{N}}{\mathrm{V}} \right]^{\frac{2}{3}}$$

Obtain partition function of photon gas. Hence derive Planck's radiation b) formula. [5]



	_			
n		_		
\mathbf{P}	•		~	~
	_		•)	•)

SEAT No.:	
-----------	--

[Total No. of Pages :4

[5529] - 3002

M.Sc.

PHYSICS

PHYUT - 702 : Physics of Semiconductor Devices (2014 Pattern) (4 Credits) (Semester-III) (Credit System)

Tim	e:3	Hours] [Max. M	arks :50
Instr	ucti	ons to the candidates:	
	1)	Attempt any five questions out of eight.	
	<i>2)</i>	Draw a labelled diagrams wherever necessary.	
	<i>3)</i>	Figures to the right indicates full marks.	
	<i>4)</i>	Use of log table and calculator is allowed.	
Q1)	a)	State and explain fabrication methods of P-N junction.	[4]
	b)	Prove law of mass action.	[3]
	c)	Derived an expression for carrier concentration at thermal equillibration	rium[3]
Q2)	a)	State and explain different types of carrier transport phenomeno	s. [4]
	b)	A silicon ingot is dopped with 10^{16} arsenic atoms/cm ³ . Find concentration and fermi level at room temperature Nc= 2.86×10^{19} Ni = 9.65×10^{9} cm ⁻³ .	
	c)	Write a note on basic equations for semiconductor device operat	tion.[3]
Q3)	a)	Derive an expression for width of deplete one sided abrupt junct	ion.[4]
	b)	Explain generation and recombination process.	[3]
	c)	Calculate built in potential for a silicon P-N junction with $N_A=10$ No= 10^{15} cm ⁻³ at 300°k. [ni= 9.65×10^3 cm ⁻³]	¹⁸ cm ⁻³ , [3]
Q4)	a)	What do you mean by high injection condition.	[4]
	b)	Derive an expression for diffusion capacitance of P-N junction.	[3]
	c)	State and explain different types of Junction Breakdown.	[3]
			P, T, O.

Q5)	a)	Derive an expression for basic current-voltage relationship.	[4]
	b)	For an ideal p-n-p transistor, the current components are given $I_{EP}=3mA$, $I_{En}=0.01mA$, $I_{cp}=2.99mA$ and $I_{cn}=0.001$ mA.	by [3]
		Determine	
		i) emitter efficiency	
		ii) Base transport factor &	
		iii) common base current gain schottky.	
	c)	Explain I-V characteristics of diode.	[3]
Q6)	a)	Derive an expression for schottky effect.	[4]
	b)	Write a note on IMPATT diode.	[3]
	c)	Derive an expression for thermionic emission theory in me semiconductor contact.	tal [3]
Q7)	a)	Explain ON and OFF state in BJT.	[5]
	b)	Draw the band diagrams of metal semiconductor (n type and p type)	[5]
Q8)	a)	Derive an expression for depletion layer capacitance of me semiconductor constant.	tal [5]
	b)	Derive an expression for schottky - Read-Hall statistics.	[5]



Time: 3 Hours]

[5529] - 3002

M.Sc.

PHYSICS

PHYUT-702: Quantum Mechanics-II

(2014 Pattern) (Semester - III) (Credit System) (4-Credits)

[Max. Marks:50

Instr	ucti	ons to the candidates:	
	<i>1)</i>	Attempt any five out of eight questions.	
	<i>2)</i>	Figures to the right indicate full marks.	
	3)	Use of logarithmic tables and calculator is allowed.	
Q 1)	a)	Obtain slater determinants for N particle system.	[4]
	b)	Obtain Bohr's quantization condition that bound state satisfy.	[3]
	c)	What is variation method? Show that it gives an upper bound to ground state energy.	the [3]
Q2)	a)	List the connection formulae with allow one to join the two types WKB solutions across a turning point.	s of [4]
	b)	Show that state effect in ground state of hydrogen atom is zero.	[3]
	c)	Discuss the conditions for validity of Born approximation.	[3]
Q 3)	a)	Discuss time dependent perturbation theory. Obtain expression for forder transition amplitude.	first [4]
	b)	Discuss space and time translation.	[3]
	c)	Discuss CM and Lab frame of reference with respect to scattering crosection.	oss- [3]
Q 4)	a)	Using the potential well discuss Ramsauer and Townsend effect.	[4]
	b)	Explain: Einstein's coefficient of spontaneous emission.	[3]
	c)	Explain the concept of identical particle. What is the difference betw boson and fermions.	een [3]

Q 5)	a)	Discuss Heisenberg picture in quantum mechanics.	4]
	b)	State wigner-Eckert theorem. Write its applications.	3]
	c)	Explain electrical dipole transitions.	[3]
Q6)	a)	State and prove fermi-Golden rule for transition probability per unit tim	ne.
	b)	Explain discrete lattice translations.	[3]
	c)	The harmonic oscillator is perturbed by H ¹ =bX ⁴ . obtain first ord perturbation in the energy in the ground state.	ler [3]
Q7)	a)	Using variational method, obtain ground state energy of hydrogen ato by using trial wave function $\psi(r) = A e^{-\alpha r}$ where α is variation parameter.	
	b)	What is harmonic perturbution? Obtain an expression for transition probability.	on [5]

- Using the method of partial wave, obtain the cross-section for scattering **Q8)** a) by a perfectly rigid sphere.
 - Deduce the expression for scattering amplitude using Born approximation b) for square well potential. [5]



Total N	o. of Questions : 8] SEAT No. :
P275	SEAT NO.
	PHYSICS
	PHYUT-801 : Nuclear Physics
	2014 Pattern) (Semester - IV) (Credit System) (4 Credits)
	[Max. Marks : 50
Instruction 1) 2) 3) 4)	tions to the candidates: Answer any five questions out of eight questions. Neat diagrams must be drawn wherever necessary. Figures to the right indicate full marks. Use of logarithmic tables & electronic calculator is allowed.
Q1) a	Explain the concept of nuclear magnetic dipole moment and show that for a nuclear of mass number A, the nuclear magnetic dipole moment is
	$\mu = \frac{e}{2m} \left[\sum_{k=1}^{A} g_s S_k + \sum_{k=1}^{Z} g_e l_k \right].$ [4]
b	
c	
Q2) a	
b c	
Q3) a	properties. [4

 $\pi^- + p \rightarrow n + \gamma$ What fraction of the freshly prepared radon of half life 3.82 days decay of the end of

i) 1 day and

[3]

- **Q4)** a) Discuss the P-P scattering at low energies. [4]
 - b) Discuss working of Ge(Li) defector. [3]
 - c) Write down the types of nuclear reactions. [3]
- Q5) a) Write the four factor formula for multiplication of steady state chain reaction and explain the significance of each factor. [4]
 - b) What is Fermi Gas model? [3]
 - c) Deuterons are accelerated in a fixed frequency cyclotron to a maximum dee orbit radius of 88 cm. If the magnetic field is 14000 gauss, calculate the energy of the emerging deuteron and the frequency of the dee voltage.

 (Maga of 211 = 2.0141024, 1n = 1.66 × 10=27 Kg)

(Mass of
$${}_{1}^{2}H = 2.0141024$$
, $1u = 1.66 \times 10^{-27} \text{ Kg}$) [3]

- **Q6)** a) Describe the construction and working of NaI (Tl) scintillation detector. [4]
 - b) Explain the terms mass defect and binding energy of a nucleus. [3]
 - c) A 2 cm thick plastic scintillator is directly coupled to the surface of a photomultiplier with a gain of 10⁶. A 10 GeV particle beam is incident on the scintillator. If the beam particle is muon, estimate the charge collected at the anode of the photomultiplier. Given that the 10 GeV muon beam will lose 4 MeV in a plastic scintillator of a 2 cm length. In a plastic scintillator, energy required for producing one photon = 100 eV. [3]
- Q7) a) Explain the construction and working of microtron, hence show that the minimum time period for the first orbit (T₁) is two times the period of R.F. oscillator (τ).
 - b) What is the end point energy of β-rays? Explain Pauli's neutrino hypothesis.
- **Q8)** a) Describe the construction and working of the Bainbridge and Jordan mass spectrograph. What are its advantages and disadvantages? [5]
 - b) State the assumptions of the shell model of a nucleus. Obtain the sequence of the "magic numbers" using a parabolic potential. [5]

